

93260 FAN CLUTCH WRENCH 36mm

Works with most gas and diesel viscous fan clutches, with a 36mm hex holding the viscous fan clutch to the water pump.



Applications: Chrysler, Ford, GM, Jeep, Land Rover and Mazda, with 36mm Hex

93750B OFFSET 2-1/8" SUPER DUTY 12- AND 6-POINT OXYGEN SENSOR WRENCH

Completely updated 12 point and 6 point SP Spline Grip Drive giving the technician the ultimate tool to remove oxygen sensors in confined areas.

Applications: 22mm non-shielded oxygen sensor wire/connectors

Corvette	LT1 Gen II 5.7L HO MPFI V8	1992 & later
Camaro		1993 & later
Firebird/Trans Am		1993 & later
Corvette ZR1	LT5 5.7L DOHC SFI V8	1989 & later
All Harley Davidson Motorcycles		2007 & later




93480 GM TRANSMISSION SEAL REMOVAL AND INSTALLATION TOOL

Removes and replaces the shift selector shaft seal on GM transmissions. Disconnect linkage from the shaft end, slide remover over the shaft until the threads engage with the seal. Rotate the remover clockwise using pressure. Insert remover bolt into the center of the remover, tighten the bolt to extract the seal. Slide the new seal over the selector shaft up to the transmission. Place the installer tube over the selector shaft and using a soft face hammer, tap in the new seal.



94170A BELT IT "SERPENTINE, V-BELT AND TIMING BELT INSTALLATION ASSIST"

This time saving tool gives the technician the control and reach when installing serpentine belts in all applications. Also helps install V-belts and timing belts that tend to be placed in areas that are difficult to reach. The three pin design gives the technician convenient belt push/pull capability and the handle gives the twisting control to install belts in difficult areas.



***95210 FAN CLUTCH WRENCH 36mm & 48mm**

Works with most gas and diesel viscous fan clutches, with either a 36mm or 48mm hex holding the viscous fan clutch to the water pump. Two wrenches are needed to perform removal and replacement of the viscous fan clutch. One wrench to hold the water pump stationary (depending on the application a 99800A, 61600, 61500B, 10800 or 10900) and the other wrench a 95210 to remove and replace the viscous fan clutch.

Applications:

61600 + 95210

Chrysler, Ford, GM, Land Rover, Mazda (except Ford 4.9L 6 cylinder engines, "Bolted on" water pump pulleys.

99800A + 95210 Chrysler, GM Late Model Gas Engines "Pressed on" water pump pulleys.

61500B + 95210 GM Late Model Diesel Engines GM 6.5L Diesels 2000-2001, GM / Isuzu Duramax 6.6L 2001-2005 and new straight pin slot fan hub 2006 and later. "Pressed on" water pump pulleys.

10800 + 95210 Chrysler, Dodge, Jeep 5.7L Hemi Truck Engines 2009 and later "Pressed on" water pump pulleys.



***Available In A Kit See Page 31**

UNIVERSAL TOOLS

89250 MASTER CYLINDER PRESSURE CAP
See Page 25



See Page 26

90450 UNIVERSAL VALVE ADJUSTMENT TOOL 9/16"
See Page 25



See Page 26

91400B UPDATED UNIVERSAL OHC VALVE SPRING COMPRESSOR



See Page 27

91400B-LDT VALVE SPRING LOCK DOWN TOOL



See Page 27

91900 RADIATOR DRAIN PLUG SOCKET



See Page 27

92350 NARROW ACCESS VALVE STEM SEAL REMOVAL PLIERS



See Page 27

93750B OFFSET 2 1/8" SUPER DUTY 12 & 6 POINT OXYGEN SENSOR WRENCH



See Page 28

94170A BELT IT SERPENTINE, V-BELT AND TIMING BELT INSTALLATION ASSIST



See Page 28

96600 UNIVERSAL HOSE PLIERS 1/2" TO 3/4"



See Page 29

98110 RELAY AND FUSIBLE LINK SLIP JOINT PLIERS



See Page 30

GM

11700 DURAMAX LB7 INJECTOR PULLER KIT



See Page 8

12150 DURAMAX FUEL RAIL PRESSURE WRENCH



See Page 8

12400 DURAMAX TURBO VANE POSITION SENSOR SOCKET



See Page 9

12900 21mm and 24mm ALIGNMENT WRENCH



See Page 9

13100 GM DURAMAX WATER IN FUEL SENSOR WRENCH



See Page 10

13300 DURAMAX LLY, LBZ, LMM INJECTOR PULLER KIT



See Page 10

13350 CAMARO 3.6L HARMONIC DAMPER PULLEY PULLER



See Page 11

14300 DURAMAX FAN PULLEY HOLDER



See Page 13

15500, 15510, 15520 NOX AND SOOT SENSORS



See Page 14

61500B FAN CLUTCH WRENCH



See Page 16, 28, 32

61600 FAN CLUTCH WRENCH



See Page 15, 16, 28, 29, 31, 32

62800 GM HARMONIC DAMPER HOLDING TOOL



See Page 16

64900A UPGRADED HARMONIC DAMPER PULLEY PULLER



See Page 11, 17, 31

66200 GM DOOR BUSHING INSTALLATION TOOL



See Page 19


69200 GM DURAMAX CRANKSHAFT AND FLYWHEEL KIT



See Page 22

VW

87300 VW & AUDI STRUT SHOCK NUT SOCKET



See Page 25

88900 UNIVERSAL VALVE ADJUSTMENT TOOL 13mm



See Page 26

96280 AUDI & VW POWER STEERING & WATER PUMP PULLEY REMOVAL & REPLACEMENT AID



See Page 29

MOTORCYCLE

14500 HARLEY DAVIDSON CLUTCH ADJUSTMENT WRENCH



See Page 13

67250 HARLEY DAVIDSON FRONT FORK CAP TOOL



See Page 19

93750B OFFSET 2 1/8" SUPER DUTY 12 & 6 POINT OXYGEN SENSOR WRENCH



See Page 28

WHERE TO PURCHASE

The staff of SP Tools/Schley Products Inc., as well as its distribution network, is grateful to you for choosing SP Tools as your source for professional specialty automotive tools. Our extensive line of specialty tools are manufactured to the quality standards you demand as a professional technician. You will not find SP Tools/Schley Products at retail outlets such as hardware and discount stores. SP Tools/Schley Products is a manufacturer and we do not sell directly to the public.

We support an established network of wholesale distributors and mobile tool trucks that service professional automotive technicians. Therefore, if you are interested in any of the products you see inside this catalog, please contact your favorite mobile tool distributor for pricing and availability. We also invite you to visit our website and YouTube channel for additional product information, specifications and demonstrations.

SP Tools/Schley Products — The World Leader in Profit Producing Tools.

NOTES
