1 Identification of the substance and manufacturer Trade name: **GLOSS BLACK** 0000110003 Product code: Recommended use: Paint and coatings application. Uses advised against: Any that differs from the recommended use. Seymour of Sycamore Seymour of Sycamore Manufacturer/Supplier: 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com www.seymourpaint.com 1-800-255-3924 **Emergency telephone number:** 2 Hazard(s) identification Classification of the substance or mixture Flam. Aerosol 1 H222 Extremely flammable aerosol. Press. Gas H280 Contains gas under pressure; may explode if heated. Eve Irrit. 2A H319 Causes serious eye irritation. Repr. 1B H360 May damage fertility or the unborn child. H336 May cause drowsiness or dizziness. STOT SE 3 STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS Hazard pictograms GHS02 GHS04 GHS07 GHS08 Signal word Danger Hazard statements Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May damage fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. Obtain special instructions before use. **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations. **3 Composition/information on ingredients** Chemical characterization: Mixtures This product is a mixture of the substances listed below with nonhazardous additions. Chemical Description:

Dangerous	components:	
		25-50%
74-98-6	propane	15-25%
106-97-8		10-15%
	VM&P Naphtha	5-10%
	Mineral Spirits	5-10%
108-88-3		1-5%
67-63-0	Isopropyl Alcohol	1-5%

4 First-aid measures After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Remove contaminated clothing. Wash exposed area with soap and water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse mouth with water. Do not induce vomiting. Most important symptoms and effects: Dizziness

Printing date 01/10/2020

Trade name: GLOSS BLACK

Safety Data Sheet

Revised On 01/10/2020

Page 2/4

	of any immediate medic leeded:	al No further relevant information available.
E Eiro fighti		
	ing measures ing agents:	CO2, extinguishing powder or water spray. Fight larger fires with water spray.
Special ha	zards:	Coz, extinguisining powder of water spray. Fight larger lines with water spray. Can form explosive gas-air mixtures.
Protective	equipment for	
firefighters	S:	A respiratory protective device may be necessary.
	al release measures	
	recautions, protective	
procedure	and emergency	Use respiratory protective device against the effects of fumes/dust/aerosol.
	nd material for	
	nt and cleaning up:	Dispose contaminated material as waste according to section 13.
	and storage	
	is for safe handling	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing condition
Storage re	quirements:	Store locked up.
8 Exposure	controls/personal pro	otection
		require monitoring at the workplace:
67-64-1 Ac		· · · · · · · · · · · · · · · · · · ·
	Long-term value: 2400 m	ig/m³, 1000 ppm
	Long-term value: 590 mg	
	Short-term value: 1187 n	
	Long-term value: 594 mg	lg/m ³ 250 ppm
	BEI	,, FF
74-98-6 pro	opane	
	Long-term value: 1800 m	g/m³ 1000 ppm
	Long-term value: 1800 m	
	refer to Appendix F inTL	
. ,		Sadeis Dook, D, EA
106-97-8 n		4.2.000
	Long-term value: 1900 m	
TLV (USA)	Short-term value: 2370 n (EX)	ıg/m³, 1000 ppm
400 00 2 T	. ,	
108-88-3 T		
PEL (USA)	Long-term value: 200 pp Ceiling limit value: 300; 5	n 500* ppm
= (= =)	*10-min peak per 8-hr sh	iti
= (2000)		
, , , , , , , , , , , , , , , , , , ,		
, , , , , , , , , , , , , , , , , , ,	Short-term value: 560 mg	g/m³, 150 ppm
REL (USA)	Short-term value: 560 mg Long-term value: 375 mg	g/m³, 150 ppm j/m³, 100 ppm
REL (USA)	Short-term value: 560 mg	g/m³, 150 ppm j/m³, 100 ppm
REL (USA) TLV (USA) 67-63-0 Iso	Short-term value: 560 mg Long-term value: 375 mg Long-term value: 75 mg/ BEI propyl Alcohol	g/m³, 150 ppm g/m³, 100 ppm m³, 20 ppm
REL (USA) TLV (USA) 67-63-0 Iso PEL (USA)	Short-term value: 560 mg Long-term value: 375 mg Long-term value: 75 mg/ BEI propyl Alcohol Long-term value: 980 mg	g/m³, 150 ppm j/m³, 100 ppm m³, 20 ppm g/m³, 400 ppm
REL (USA) TLV (USA) 67-63-0 Iso PEL (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 980 mg Short-term value: 1225 m	g/m ³ , 150 ppm g/m ³ , 100 ppm m ³ , 20 ppm g/m ³ , 400 ppm ng/m ³ , 500 ppm
REL (USA) TLV (USA) 67-63-0 Iso PEL (USA) REL (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 980 mg Short-term value: 1225 m Long-term value: 980 mg	g/m³, 150 ppm g/m³, 100 ppm m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm
REL (USA) TLV (USA) 67-63-0 Iso PEL (USA) REL (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 980 mg Short-term value: 1225 n Long-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg	g/m ³ , 150 ppm g/m ³ , 100 ppm m ³ , 20 ppm g/m ³ , 400 ppm ng/m ³ , 500 ppm g/m ³ , 400 ppm g/m ³ , 400 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 980 mg Short-term value: 1225 m Long-term value: 980 mg	g/m ³ , 150 ppm g/m ³ , 100 ppm m ³ , 20 ppm g/m ³ , 400 ppm ng/m ³ , 500 ppm g/m ³ , 400 ppm g/m ³ , 400 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA)	Short-term value: 560 mg Long-term value: 375 mg/ BEI propyl Alcohol Long-term value: 980 mg Short-term value: 1225 m Long-term value: 980 mg Short-term value: 984 mg Long-term value: 492 mg BEI	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 984 mg Long-term value: 492 mg BEI s with biological limit va	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 984 mg Long-term value: 984 mg BEI s with biological limit va etone	g/m³, 150 ppm g/m³, 100 ppm m³, 20 ppm ng/m³, 400 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg BEI s with biological limit va etone 50 mg/L Medium: urine	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg BEI s with biological limit va etone 50 mg/L Medium: urine Time: end of shift	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg BEI s with biological limit va etone 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nons	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Iso PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI Depropyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Sh	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA) 67-63-0 Isc BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI Depropyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg Short-term value: 980 mg BEI s with biological limit va etone 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nons propyl Alcohol 40 mg/L	g/m³, 150 ppm g/m³, 20 ppm g/m³, 400 ppm ng/m³, 500 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA) 67-63-0 Isc BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Shor	g/m ³ , 150 ppm g/m ³ , 20 ppm ng/m ³ , 400 ppm ng/m ³ , 500 ppm g/m ³ , 400 ppm g/m ³ , 400 ppm g/m ³ , 200 ppm lues:
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA) 67-63-0 Isc BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI Dropyl Alcohol Long-term value: 75 mg/ Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 492 mg Short	g/m ³ , 150 ppm m ³ , 20 ppm g/m ³ , 400 ppm ng/m ³ , 500 ppm g/m ³ , 400 ppm g/m ³ , 400 ppm g/m ³ , 200 ppm lues:
REL (USA) TLV (USA) 67-63-0 Isc PEL (USA) REL (USA) TLV (USA) Ingredients 67-64-1 Ac BEI (USA) 67-63-0 Isc BEI (USA)	Short-term value: 560 mg Long-term value: 375 mg BEI propyl Alcohol Long-term value: 75 mg/ Short-term value: 980 mg Short-term value: 980 mg Sh	g/m³, 150 ppm m³, 20 ppm m³, 20 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 400 ppm g/m³, 200 ppm lues:

Page 3/4

Trade name: GLOSS BLACK	
	(Contd. of page 2)
	Store protective clothing separately.
	Avoid contact with the eyes and skin. Do not eat or drink while working.
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.
Hand protection:	Nitrile gloves.
······ F. · · · · · · · · · · ·	The glove material must be impermeable and resistant to the substance.
Eye protection:	Tightly sealed goggles
-	

9 Physical and chemical properties

 i nysicai and chemical properties	
Appearance: Odor: Odor threshold:	Aerosol. Aromatic Not determined.
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44 °C (-111.2 °F)
Flash point: Flammability (solid, gas):	-19 °C (-66.2 °F) Extremely flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.5 Vol % 10.9 Vol %
Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water:	Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. Not determined.
Solubility: Viscosity: VOC content (less exempt solvents):	Not determined. Not determined. 52.3 %

10 Stability and reactivity

Reactivity:	Stable at normal temperatures.
Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing
	temperatures.
Chemical stability:	Not fully evaluated.
Possibility of hazardous reactions:	No dangerous reactions known.
Incompatible materials:	No further relevant information available.
Hazardous decomposition:	No dangerous decomposition products known.

11 Toxicological information

LD/LC50	values tha	t are relevant for classification:
106-97-8	n-butane	
Inhalative	LC50/4 h	658 mg/l (rat)
67-63-0 ls	opropyl A	Icohol
Oral	LD50	4,570 mg/kg (rat)
Dermal	LD50	13,400 mg/kg (rab)
Inhalative	LC50/4 h	30 mg/l (rat)
Informati Skin effec Eye effec Sensitiza	cts: ts:	cological effects: No data available. No irritant effect. Irritating effect. No sensitizing effects known.

12 Ecological information	
Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated
Bioaccumulative potential: Mobility in soil:	solvents. No further relevant information available. No further relevant information available.

Revised On 01/10/2020

Page 4/4

Other adverse effects:	(Contd. of pa
Dispession considerations	
Disposal considerations Dispose of in accordance with local	l, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans mus
Recommendation:	at or cut empty containers with electric or gas torches. Completely empty cans should be recycled.
Transport information	
UN-Number	UN1950
DOT	N/A
DOT	Consumer Commodity ORM-D
ADR	Aerosols, flammable 1950 Aerosols
Transport hazard class(es):	
Class	2.1
Marine pollutant:	No
Special precautions for user:	Warning: Gases
EMS Number:	F-D,S-Ŭ
Packaging Group:	
UN "Model Regulation":	UN1950, Aerosols, 2.1
Regulatory information	
SARA Section 355 (extremely haz	
SARA Section 355 (extremely haz None of the ingredients in this produ	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produced SARA Section 313 (Specific toxic	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produced SARA Section 313 (Specific toxic 108-88-3 Toluene	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA):	All hazardous ingredients are found on the inventory list of substances.
SARA Section 355 (extremely haz None of the ingredients in this produced SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I	All hazardous ingredients are found on the inventory list of substances.
SARA Section 355 (extremely haz None of the ingredients in this produ- SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC):	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
SARA Section 355 (extremely haz None of the ingredients in this produ- SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC):	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
SARA Section 355 (extremely haz None of the ingredients in this produ- SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic 1333-86-4 Carbon black 100-41-4 ethyl benzene	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer:
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic 1333-86-4 Carbon black 100-41-4 ethyl benzene	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
SARA Section 355 (extremely haz None of the ingredients in this product None of the ingredients in this product SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic 1333-86-4 Arbon black 100-41-4 Prop 65 chemicals known to cause 108-88-3 Toluene	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer:
SARA Section 355 (extremely haz None of the ingredients in this product None of the ingredients in this product SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic 1333-86-4 Carbon black 100-41-4 Prop 65 chemicals known to cause 108-88-3	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer:
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxice 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemice 1333-86-4 Carbon black 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-88-3 Toluene EPA: 67-64-1 Acetone	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer:
SARA Section 355 (extremely haz None of the ingredients in this product None of the ingredients in this product SARA Section 313 (Specific toxic 108-88-3 Toluene 67-63-0 Isopropyl Alcohol Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic 1333-86-4 Arbon black 100-41-4 Prop 65 chemicals known to cause 108-88-3 Toluene	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: