

History of Quality and Dependability

For over 100 years, IRWIN HANSON has been providing the highest quality threading tools in the industry. The IRWIN HANSON name signifies dependability with professionals who use our tools each and every day. By working with various tradesmen, we are able to create solutions for endless fastening challenges. Whether creating new threads or repairing damaged and worn threads, achieving a precise fit is essential. IRWIN HANSON sets the standard for delivering quality every step of the way for your threading applications.

Tap & Die Overview

Although there are hundreds of different types of fasteners, most of them have the same basic design: a spiral groove inside a hole matches the threads on the outside diameter of a screw or bolt. IRWIN HANSON taps and dies are the tools used by professionals to create threads to solve the most challenging fastener applications.

Material Types

- **High Carbon Steel (HCS)** for hand tapping applications
- **High Speed Steel (HSS)** for machine tapping where critical dimensions are required

Point Styles

- Taper, plug, and bottoming styles are available



Laser Etched

- Tap size and recommended drill bit size are laser etched on each tool for easy identification

Precision Ground Flutes



Tap Point Styles

Taper Taps



8-10 threads

- Easiest to start
- 8 to 10 threads chamfered
- Ideal for tough starting applications
- Preferred use with deep or through hole applications

Plug Taps



3-5 threads

- 3 to 5 threads chamfered
- Most common chamfer
- Ideal for for all general purpose threading

Bottom Taps



1-2 threads

- 1 to 2 threads chamfered
- Shortest and least efficient standard chamfer
- Ideal for threading close to the bottom of blind holes

Die Styles

Hexagon Dies



5/8", 1", 1-7/16" & 1-13/16" Across Hex Flats

- Best suited to maintenance and repair work
- Recommended for use with hexagonal die stock handles
- In area with limited space, die can be used with a wrench or socket

Adjustable Round Dies



1", 1-1/2", 2" & 3" Overall Diameter

- Adjustable dies allow the user to under or over cut their threads
- Ideal for a precision threading with the adjustment of die made by set screw
- Fits into adjustable guide or plain die stock handles
- Meets Federal Specifications GGG-D-296

Solid Round Dies



1" & 1-1/2" Overall Diameter

- Ideal for general purpose threading
- Fits into adjustable guide or plain die stock handles

Tap & Die Description Guide

10-24 NC

Fastener Diameter

10 - Machine screw size
5/8" - Fractional
8 mm - Metric

Thread Pitch

Threads per inch (machine & fractional)
Distance between threads (metric)

Thread Type

NC = National Coarse (USS)

NF = National Fine (SAE)

NS = National Special

NEF = National Extra Fine
NPT = National Pipe Taper
BSP = British Standard Pipe

Applications

General purpose machines and appliances

Automotive parts requiring extreme pressures

Special threads – either diameter or threads per inch

For optical or thin wall parts

For all pipe threads

For all pipe threads

(no thread symbol required for metric fasteners)

Machine Screw Reference Guide

Before cutting a thread you must know the rod diameter.

Use the chart to determine the appropriate machine screw size:

Machine Screw	Rod Diameter
#0	.060"
#1	.073"
#2	.086"
#3	.099"
#4	.112"
#5	.125"
#6	.138"

Machine Screw	Rod Diameter
#7	.151"
#8	.164"
#9	.179"
#10	.190"
#12	.216"
#14	.242"

TAPS & DIES

TAP & DRILL SELECTION CHART

TAPS & DIES

Diam/Type	Decimal Equiv.	Fractional Tap	Machine Screw Tap	Metric Tap	Screw Ext.
1/64"	.0516				
1/32"	.0312				
1.0 mm	.0394				
60	.0400				
59	.0410				
58	.0420				
57	.0430				
56	.0465				
3/64"	.0469		0 - 80 NF		
55	.0520				
54	.0550				
1.5 mm	.0591				
53	.0595		1 - 64 NC 1 - 72NF		
1/16"	.0625				
52	.0635				
51	.0670				
50	.0700		2 - 56 NC 2 - 64 NF		
49	.0730				
48	.0760				
5/64"	.0781		3 - 48 NC		EX-1
47	.0785				
2.0 mm	.0787				
46	.0810				
45	.0820		3 - 56 NF		
44	.0860		4 - 36 NS		
43	.0890		4 - 40 NC		
42	.0935				
3/32"	.0938		4 - 48 NF		
41	.0960			3 mm - 0.60	
40	.0980				
2.5 mm	.0984			3 mm - 0.50	
39	.0995			3 mm - 0.50	
38	.1015	1/8" - 40 NS	5 - 40 NC		
37	.1040		5 - 44 NF		
36	.1065		6 - 32 NC		
7/64"	.1094				EX-2
35	.1100				
34	.1110		6 - 36 NS		
33	.1130		6 - 40 NF		
32	.1160		6 - 48 NS		
3.0 mm	.1181				
31	.1200				
1/8"	.1250				
30	.1285			4 mm - 0.70 4 mm - 0.75	
29	.1360		8 - 32 NC 8 - 36 NF		
3.5 mm	.1378				
28	.1405				

Diam/Type	Decimal Equiv.	Fractional Tap	Machine Screw Tap	Metric Tap	Screw Ext.
9/64"	.1406	8 - 40 NS			ST-1
27	.1440				
26	.1470	3/16"-24 NS			
25	.1495		10 - 24 NC		
24	.1520				
23	.1540				
5/32"	.1562	3/16"-32 NS			EX-3
22	.1570				
4.0 mm	.1575				
21	.1590		10 - 32 NF		
20	.1600			5 mm - 0.90	
19	.1660			5 mm - 0.80	
18	.1695				
11/64"	.1719				
17	.1730				
16	.1770		12 - 24 NC		
4.5 mm	.1772				
15	.1800				
14	.1820		12 - 28 NEF		
13	.1850				
3/16"	.1875				ST-2
12	.1890				
11	.1910				
10	.1935		14 - 20 NS		
9	.1960				
5.0 mm	.1969			6 mm - 1.00	
8	.1990			6 mm - 1.00	
7	.2010	1/4" - 20 NC			
13/64"	.2031		14 - 24 NS		
6	.2040				
5	.2055				
4	.2090	1/4" - 24 NS			
3	.2130	1/4" - 28 NF			
5.5 mm	.2165				
7/32"	.2188	1/4"- 32 NEF			
2	.2210				
1	.2280	1/4" - 40 NS			
A	.2340				
15/64"	.2344			7 mm - 1.00	ST-3
6.0 mm	.2362			7 mm - 1.00	
B	.2380				
C	.2420				
D	.2460				
E	.2500				
1/4"	.2500				EX-4
6.5 mm	.2559				
F	.2570	5/16"- 18 NC			

Diam/Type	Decimal Equiv.	Fractional Tap	Pipe Tap	Metric Tap	Screw Ext.
G	.2610				
17/64"	.2656			8 mm - 1.25	
H	.2660				
I	.2720	5/16"-24 NF			
7.0 mm	.2756			8 mm - 1.00	
J	.2770			8 mm - 1.00	
K	.2810				
9/32"	.2812	5/16"-32 NEF			
L	.2900				
M	.2950				
7.5 mm	.2953				
19/64"	.2969				EX-5
N	.3020			9 mm - 1.25	
5/16"	.3125	3/8"- 16 NC			ST-4
8.0 mm	.3150			9 mm - 1.00	
O	.3160			9 mm - 1.00	
P	.3230			9 mm - 0.75	
21/64"	.3281		1/8" - 28 BSP		
Q	.3320	3/8"- 24 NF	1/8" - 27 NPT		
8.5 mm	.3346			10 mm - 1.50	
R	.3390			10 mm - 1.50	
11/32"	.3438			10 mm - 1.25	
S	.3480				
9.0 mm	.3543			10 mm - 1.00	
T	.3580			10 mm - 1.00	
23/64"	.3594				
U	.3680	7/16"- 14 NC			
9.5 mm	.3740			11 mm - 1.50	
3/8"	.3750			11 mm - 1.50	ST-5
V	.3770				
W	.3806				
25/64"	.3906	7/16"- 20 NF			
10.0 mm	.3937				
X	.3970				
Y	.4040				
13/32"	.4062			12 mm - 1.75	EX-6
Z	.4130			12 mm - 1.50	
10.5 mm	.4134			12 mm - 1.50	
27/64"	.4219	1/2"- 13 NC		12 mm - 1.25	
11.0 mm	.4331				
7/16"	.4375		1/4" - 18 NPT		
11.5 mm	.4528				
29/64"	.4531	1/2"-20 NF 1/2"-24 NS	1/4" - 19 BSP		
15/32"	.4688			14 mm - 2.00	ST-6
12.0 mm	.4724			14 mm - 2.00	
31/64"	.4844	9/16" - 12 NC			
12.5 mm	.4921			14 mm - 1.50	

Diam/Type	Decimal Equiv.	Fractional Tap	Pipe Tap	Metric Tap	Screw Ext.
1/2"	.5000			14 mm - 1.25 14 mm - 1.50	
13.0 mm	.5118			14 mm - 1.25	
33/64"	.5156	9/16"- 18 NF			
17/32"	.5313	5/8" - 11 NC			EX-7
35/64"	.5469			16 mm - 2.00	
9/16"	.5625		3/8" - 18 NPT		ST-7
37/64"	.5781	5/8" - 18 NF		16 mm - 1.50	
19/32"	.5938	11/16"-11 NS			
39/64"	.6094			18 mm - 2.50	
5/8"	.6250	11/16"-16 NS			
41/64"	.6406				
21/32"	.6562	3/4" - 10 NC		18 mm - 1.50	
43/64"	.6719				
11/16"	.6875	3/4" - 16 NF		20 mm - 2.50	
45/64"	.7031		1/2" - 14 NPT		
23/32"	.7188				
47/64"	.7344				
3/4"	.7500				
49/64"	.7656				
25/32"	.7812	7/8" - 9 NC			
51/64"	.7969				
13/16"	.8125	7/8" - 14 NF		22 mm - 1.50	EX-8
53/64"	.8281			24 mm - 3.00	
27/32"	.8438				
55/64"	.8594				
7/8"	.8750	1" - 8 NC		24 mm - 2.00	
57/64"	.8906				
29/32"	.9062				
59/64"	.9219	1" - 12 NF	3/4" - 14 NPT		
15/16"	.9375	1" - 14 NS			
61/64"	.9531				
31/32"	.9688				
63/64"	.9844	1-1/8" - 7 NC			
1"	1.0000				
1-1/64"	1.0156				
1-1/32"	1.0312				
1-1/16"	1.0625				EX-9
1-3/32"	1.0938				
1-1/8"	1.1250				
1-5/32"	1.1562		1" - 11-1/2" NPT		
1-3/16"	1.1875				
1-1/4"	1.2500				
1-5/16"	1.3125				
1-3/8"	1.3750				
1-7/16"	1.4375				
1-1/2"	1.5000		1-1/4" - 11-1/2" NPT		

NC = National Coarse (USS)
NS = National Special
NF = National Fine (SAE)

NEF = National Extra Fine
NPT = National Pipe Taper
BSP = British Standard Pipe

TAPS & DIES

HIGH CARBON STEEL DIES

HANSON® Hexagon Machine Screw Dies (HCS)



6432

HANSON Hexagon Fractional Dies (HCS)



6544



8461

- Ideal for maintenance and repair work
- Recommended for use with hexagon die stock
- Die can be used with a wrench or socket when space is limited

HANSON Hexagon Pipe Taper Dies (HCS)



6703



7004

- Ideal for plumbing and air applications

Description	1" Across Flat Carded Stock #	1" Across Flat Bulk Stock #	1-7/16" Across Flat Bulk Stock #	1-13/16" Across Flat Bulk Stock #
Machine				
4 - 36 NS	9311	6411	—	—
4 - 40 NC	9312	6412	—	—
5 - 40 NC	—	6416	—	—
6 - 32 NC	9318	6418	—	—
8 - 32 NC	9324	6424	—	—
10 - 24 NC	9328	6428	—	—
10 - 32 NF	9331	6431	—	—
12 - 24 NC	9332	6432	—	—
14 - 20 NS	9335	6435	—	—

Description	1" Across Flat Carded Stock #	1" Across Flat Bulk Stock #	1-7/16" Across Flat Bulk Stock #	1-13/16" Across Flat Bulk Stock #
Fractional				
3/16" - 24 NS	—	6512	—	—
1/4" - 20 NC	9420	6520	—	—
1/4" - 28 NF	9423	6523	—	—
5/16" - 18 NC	9427	6527	—	—
5/16" - 24 NF	9429	6529	—	—
3/8" - 16 NC	9434	6534	—	—
3/8" - 24 NF	9436	6536	—	—
7/16" - 14 NC	9439	6539	—	—
7/16" - 20 NF	9440	6540	—	—
1/2" - 13 NC	9444	6544	—	—
1/2" - 20 NF	9445	6545	—	—
9/16" - 12 NC	—	—	6848	—
9/16" - 18 NF	—	—	6849	—
5/8" - 11 NC	—	—	6852	—
5/8" - 18 NF	—	—	6854	—
3/4" - 10 NC	—	—	6858	—
3/4" - 16 NF	—	—	6860	—
7/8" - 9 NC	—	—	—	8461
7/8" - 14 NF	—	—	—	8463
1" - 8 NC	—	—	—	8465
1" - 14 NS	—	—	—	8467

Description	1" Across Flat Carded Stock #	1" Across Flat Bulk Stock #	1-7/16" Across Flat Bulk Stock #
1/8" - 27 NPT	9502	6702	—
1/4" - 18 NPT	9503	6703	—
3/8" - 18 NPT	—	—	7004
1/2" - 14 NPT	—	—	7005
1/8" - 28 BSP	—	6711	—
1/4" - 19 BSP	—	6712	—

TAPS & DIES

HIGH CARBON STEEL COMBINATION SETS

HANSON® 66-pc Machine Screw/Fractional Tap & Hex Die Set



97606

TAPS & DIES

Set Contents		Stock # 97606
Thread Size	Tap Stock #	Die Stock #
Machine Screw	Plug Style	5/8" Hexagon
4 - 40 NC	1112	6112
6 - 32 NC	1118	6118
8 - 32 NC	1124	6124
10 - 24 NC	1128	6128
10 - 32 NF	1131	6131
12 - 24 NC	1132	6132
Fractional		1" Hexagon
1/4" - 20 NC	1420	6520
1/4" - 28 NF	1423	6523
5/16" - 18 NC	1427	6527
5/16" - 24 NF	1429	6529
3/8" - 16 NC	1434	6534
3/8" - 24 NF	1436	6536
7/16" - 14 NC	1439	6539
7/16" - 20 NF	1440	6540
1/2" - 13 NC	1444	6544
1/2" - 20 NF	1445	6545
		1-7/16" Hexagon
9/16" - 12 NC	1448	6848
9/16" - 18 NF	1449	6849
5/8" - 11 NC	1452	6852
5/8" - 18 NF	1454	6854
3/4" - 10 NC	1458	6858
3/4" - 16 NF	1460	6860
		1-13/16" Hexagon
7/8" - 9 NC	1461	8461
7/8" - 14 NF	1463	8463
1" - 8 NC	1465	8465
1" - 14 NS	1467	8467
Pipe		1" Hexagon
1/8" - 27 NPT	1902	6702
1/4" - 18 NPT	1903	7003
Threading Tools		Stock #
Adj. Die Stock - 1" Dies		11026
Adj. Die Stock - 1-7/16" Hexagon Dies		12436
Adj. Die Stock - 1-13/16" Hexagon Dies		12446
Plain Die Stock - 5/8" Hexagon Dies		12457
Adj. Handle Tap Wrench - Taps No. 0 to 1/2"		311088
Adj. Handle Tap Wrench - Taps 1/4" to 1"		12498
Two-in-One Tap Wrench - Taps 1/4" to 1/2"		12450
T-Handle Wrench - Taps No. 0 to 1/4"		12473
18 Leaf Standard Thread Pitch Gauge		11018

TAPS & DIES

HIGH CARBON STEEL COMBINATION SETS

HANSON® 53-pc Machine Screw/Fractional Tap & Hex Die Set



24640

Set Contents		Stock # 24640
Thread Size	Tap Stock #	Die Stock #
Machine Screw	Plug Style	1" Hexagon
6 - 32 NC	1118	6418
8 - 32 NC	1124	6424
10 - 24 NC	1128	6428
10 - 32 NF	1131	6431
12 - 24 NC	1132	6432
Fractional		
1/4" - 20 NC	1420	6520
1/4" - 28 NF	1423	6523
5/16" - 18 NC	1427	6527
5/16" - 24 NF	1429	6529
3/8" - 16 NC	1434	6534
3/8" - 24 NF	1436	6536
7/16" - 14 NC	1439	6539
7/16" - 20 NF	1440	6540
1/2" - 13 NC	1444	6544
1/2" - 20 NF	1445	6545
1-7/16" Hexagon		
9/16" - 12 NC	1448	6848
9/16" - 18 NF	1449	6849
5/8" - 11 NC	1452	6852
5/8" - 18 NF	1454	6854
3/4" - 10 NC	1458	6858
3/4" - 16 NF	1460	6860
Pipe		
1/8" - 27 NPT Pipe	1902	6072
1/4" - 18 NPT Pipe	1903	6703
Threading Tools		Stock #
Adj. Die Stock - 1" Dies		11026
Adj. Die Stock - 1-7/16" Hexagon Dies		12436
T-Handle Wrench - Taps No. 0 to 1/4"		12473
Adj. Handle Tap Wrench - Taps No. 0 to 1/2"		311088
Adj. Handle Tap Wrench - Taps 1/4" to 1"		12498
18 Leaf Standard Thread Pitch Gauge		11018

TAPS & DIES

HANSON 53-pc Metric Tap & Hex Die Set



26394

Set Contents		Stock # 26394
Thread Size	Tap Stock #	Die Stock #
Metric Screw	Plug Style	1" Hexagon
3 mm - 0.50	1712	6612
4 mm - 0.70	1717	6617
4 mm - 0.75	1718	6618
5 mm - 0.80	1722	6622
5 mm - 0.90	1723	6623
6 mm - 1.00	1727	6627
7 mm - 1.00	1731	6631
8 mm - 1.25	1734	6634
9 mm - 1.00	1736	6636
9 mm - 1.25	1737	6637
10 mm - 1.25	1739	6639
10 mm - 1.50	1740	6640
11 mm - 1.50	1741	6641
12 mm - 1.50	1743	6643
12 mm - 1.75	1744	6644
1-7/16" Hexagon		
14 mm - 1.25	1749	6949
14 mm - 2.00	1752	6952
16 mm - 1.50	1755	6955
16 mm - 2.00	1756	6956
18 mm - 1.50	1759	6959
18 mm - 2.50	1761	6961
Pipe		
1/8" - 28 BSP	1911	6711
1/4" - 19 BSP	1912	6712
Threading Tools		Stock #
Adj. Die Stock - 1" Dies		11026
Adj. Die Stock - Hexagon Dies		12436
T-Handle Wrench - Taps No. 0 to 1/4"		12473
T-Handle Wrench - Taps No. 0 to 1/2"		311088
Adj. Handle Tap Wrench - Taps 1/4" to 1"		12498
16 Leaf Metric Thread Pitch Gauge		11016
Empty Plastic Case		26394MT