HeliCoil[®] Thread Repair System

Heli-Coil has the most effective and universally accepted method of thread repair. Heli-Coil inserts quickly and permanently restore stripped, worn or damaged threads to their original size and condition.

The inserts work in just about any part or material; aluminum, magnesium, cast iron, bronze, etc. The use of light weight (and soft) materials in fuel efficient cars means more thread damage... there is a Heli-Coil insert to repair virtually every application.

Damaged threads can be restored to better than new condition in spark plug ports, carburetor fuel inlets, transmission housings, oil drain plugs, exhaust and intake manifolds, head bolt holes, brake calipers and more!

Installation



The Heli-Coil system makes all other thread repair methods basically obsolete: welding, plugging, oversized fasteners and oversized drilling of mating parts. It's faster – you save time, increase your shop's repair

capabilities and restore parts that otherwise would have to be scrapped.

Heli-Coil repairs are available in the following standard thread series and size ranges: Inch Coarse (#8 thru 1-1/2), **Inch** Fine (#10 thru 1-1/2), Metric Coarse (M3 thru M20), Metric Fine (M8 thru

M18), Spark Plug (10mm, 12mm, 14mm, 18mm & 7/8"), and Pipe Thread (1/8" thru 1").

In addition to the above, custom sizes are available for various repairs.

Heli-Coil Stainless Steel Inserts

Heli-Coil inserts are precision formed coils of extremely hard stainless steel

(18-8) diamond- shaped wire. When installed into a Heli-Coil tapped hole, the insert provides permanent conventional screw threads. The insert has a driving "tang" for installation which is notched for easy removal.



The Retention Principle

Heli-Coil inserts are larger in diameter before installation than the tapped hole. During installation, the inserting tool reduces the diameter of the leading coil so it can enter the



tapped hole. After the installation, each high tensile stainless steel coil expands outward against the tapped hole to permanently anchor the insert.

Stripped & Fixed

When threads become stripped, worn or

damaged for any reason, the strength and reliability are greatly reduced. Potentially dangerous situations are eliminated when the damaged thread is repaired



with Heli-Coil inserts. The Heli-Coil threaded insert provides stronger, more reliable threads than the original tapped hole and at the same time eliminates the possibility of thread wear, corrosion, galling, seizing and rust.

Drill

Drill out the damaged threads using the drill size specified on the kit or set. Drill to sufficient depth to accommodate the insert length and bolt or screw being used.



Tap

Use the Heli-Coil tap supplied in the kit or set. Check the size on the shank to make sure you have the right one. Tap the hole to sufficient depth to accommodate the insert length and bolt or screw being used.



Install Use the installation tool

supplied in the kit or set. Just wind the insert into the hole until the top coil is 1/4 - 1/2 turn into the tapped thread. Now you're back to the original size and the original size fastener can be used.



Tang Removal

The tang must be removed to allow full passage of the bolt or screw through the insert. Place square (unchamfered) end of a punch on the tang and strike sharply. For inserts over 1/2", M14 and up, and all spark plug sizes, use long nose pliers. Holding the tang with the pliers, bend it alternately in and out until it comes free. Note: For Spark Plug repairs, NO drilling is necessary. The Heli-Coil spark plug kit contains a piloted reamer tap. With this tap, the damaged threads are removed and new threads are cut in one continuous operation.

Heli-Coil has complete coverage of inch thread repair sizes. Available from stock are Inch Coarse kits in sizes #8 through 1-1/2" and Inch Fine kits in sizes #10

through 1-1/2". Kits up to 3/4" are packaged in durable placon or vinyl pouches, and kits 7/8" and larger are packaged in sturdy metal cases and contain the proper size high speed steel drill. All kits contain a Heli-Coil tap, installation tool, a quantity of inserts and detailed instructions.

INCH COAR	SE				Kit Contents	and Rep	lacement Part	s	
THREAD Size + Length	KIT PART NO.	KIT PKG. TYPE	INSERTS PER KIT	TAP Part no.	INSTALLATION TOOL PART NO.	TOOL TYPE	PACKAGED INSERT PART NO.	PACKAGED INSERT QTY.	DRILL SIZE
8-32 x .246 10-24 x .285 12-24 x .324	5521-2 5521-3 5521-1	A A A	12 12 12	819-2 819-3 819-1	2288-2 2288-3 2288-1	2 2 2	R1185-2 R1185-3 R1185-1	12 12 12	11/64 13/64 15/64
1/4-20 x .375* 5/16-18 x .469* 3/8-16 x .562* 7/16-14 x .656*	5521-4 5521-5 5521-6 5521-7	A A A	12 12 12 6	819-4 819-5 819-6 819-7	2288-4 2288-5 2288-6 2288-7	2 2 2 2	R1185-4 R1185-5 R1185-6 R1185-7	12 12 12 6	17/64 21/64 25/64 29/64
1/2-13 x .750* 9/16-12 x .844 5/8-11 x .938 3/4-10 x 1.125	5521-8 5521-9 5521-10 5521-12	A B B B	6 6 4	819-8 819-9 819-10 819-12	2288-8 2288-9 2288-10 2288-12	2 2 2 2	R1185-8 R1185-9 R1185-10 R1185-12	6 6 6 4	17/32 19/32 21/32 25/32
THE FOLLOWING KI	тѕ соме сомр	LETE WITI	H HIGH SPEE	D STEEL DRILI	BIT FOR 1/2" CHUC	Ж.			
7/8-9 x 1.312 1-8 x 1.500 1-1/8-7 x 1.688	5521-14 5521-16 5521-18	C C C	6 6 5	8187-14 8187-16 8187-18	3724-14 3724-16 3724-18	2 2 2	K1185-14 K1185-16 K1185-18	1 1 1	29/32 1-1/32 1-5/32
1-1/4-7 x 1.875 1-3/8-6 x 2.062	5521-20 5521-22	C C	4	8187-20 8187-22	3724-20 3724-22	2	K1185-20 K1185-22	1	1-9/32 1-13/32
<u>1-1/2-6 x 2.250</u> *Sizes included in Ν Δ Ρ	5521-24 laster Thread Re	C pair Set - I	4 Part No. 5621	8187-24	3724-24	2	K1185-24 A - Carded	B - Pouch C	1-17/32 C - Metal Case



К	its	

Packaged Inserts

INCH FINE				Kit Contents and Replacement Parts					
THREAD Size + Length	KIT Part no.	KIT PKG. TYPE	INSERTS PER KIT	TAP Part no.	INSTALLATION TOOL PART NO.	TOOL TYPE	PACKAGED INSERT PART NO.	PACKAGED INSERT QTY.	DRILL SIZE
10-32 x .285** 1/4-28 x .375** 5/16-24 x .469** 3/8-24 x .562**	5528-3 5528-4 5528-5 5528-5 5528-6	A A A A	12 12 12 12 12	821-3 821-4 821-5 821-6	2299-3 2299-4 2299-5 2299-6	3 3 3 3	R1191-3 R1191-4 R1191-5 R1191-6	12 12 12 12	13/64 17/64 21/64 25/64
7/16-20 x .656** 1/2-20 x .750** 9/16-18 x .844 5/8-18 x .938 3/4-16 x 1.125	5528-7 5528-8 5528-9 5528-10 5528-12	A A B B B	6 6 6 4	821-7 821-8 821-9 821-10 821-12	2299-7 2299-8 2299-9 2299-10 2299-12	3 3 3 3 3	R1191-7 R1191-8 R1191-9 R1191-10 R1191-12	6 6 6 6 4	29/64 33/64 37/64 41/64 49/64
THE FOLLOWING KIT	S COME COMP	LETE WITI	H HIGH SPEE	D STEEL DRILL	BIT FOR 1/2" CHUC	К.			
7/8-14 x 1.312 1-14 x 1.500	5528-14 5528-16	C C	6 6	8193-14 8193-16	535-14 535-16	4	K1191-14 K1191-16	1	57/64 1-1/64
1-12 x 1.500 1-1/8-12 x 1.688 1-1/4-12 x 1.875	5528-161 5528-18 5528-20	C C C	6 5 4	8193-161 8193-18 8193-20	535-161 535-18 535-20	4 4 4	K1191-161 K1191-18 K1191-20	1	1-1/64 1-5/32 1-9/32
1-3/8-12 x 2.062 1-1/2-12 x 2.250	5528-22 5528-24	C C	4	8193-22 8193-24	535-22 535-24	4	K1191-22 K1191-24	1	1-13/32 1-17/32

**Sizes included in Master Thread Repair Set - Part No. 5625

Heli-Coil offers effective point-of-purchase displays. They can be counter or pegboard positioned, can stand alone or be combined to build a thread repair center.

They contain only the fastest moving Heli-Coil sizes so you get faster turns and each display requires one cubic foot of space or less. This means more profit per cubic foot. If your customers need something they don't see, it is available through our extensive network of warehouse distributors. With all this flexibility, you can tailor your thread repair inventory to the customer's needs in your trading area.

Heli-Coil displays are designed with eye catching graphics and high impact packaging — an attractive addition to your store. All packaging is color coded by thread series for easy identification and customer selection.

INCH	I COARSE	Part No. 5820			
	KITS	PACKAGED INSERTS			
Qty.	Size	Part No.	Qty.	Part No.	
1	1/4-20	5521-4	1	R1185-4	
1	5/16-18	5521-5	1	R1185-5	
1	3/8-16	5521-6	1	R1185-6	
1	7/16-14	5521-7	1	R1185-7	
1	1/2-13	5521-8	1	R1185-8	
1	M14x1.25	5334-14	1	R5326-14S	
			1	R5326-14N	
			1	R5326-14L	

RACTO			
METRI		INP	

	KITS	PACKAG	ED INSERTS		
Qty.	Size	Part No.	Qty.	Part No.	
1	M6x1	5546-6	1	R1084-6	
1	M8x1.25	5546-8	1	R1084-8	
1	M9x1.25	5546-9	1	R1084-9	
1	M10x1.5	5546-10	1	R1084-10	
1	M10x1.25	5543-10	1	R4649-10	
1	M11x1.25	5543-11	1	R4649-11	

Part No. 5829

INC	I FINE DIS	Part	No. 5825		
KITS			PACKAGED INSERTS		
Qty.	Size	Part No.	Qty.	Part No.	
1	10-32	5528-3	1	R1191-3	
1	1/4-28	5528-4	1	R1191-4	
1	5/16-24	5528-5	1	R1191-5	
1	3/8-24	5528-6	1	R1191-6	
1	7/16-20	5528-7	1	R1191-7	
1	1/2-20	5528-8	1	R1191-8	





SAV-A-THREAD® DISPLAY Part No. 5834

Description	Part No.	Qty.
Sav-A-Thread	5334-14	4
R-Pack, Short Insert	R5326-14S	1
R-Pack, Normal Insert	R5326-14N	2
R-Pack, Long Insert	R5326-14L	3