

SAFETY DATA SHEET

### Pure Tac

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification			
Product identifier			
Product name	Pure Tac		
Product number	L0236-035, L0236-039, L0236-040, L0236-041, L0236-098, L0236-040B		
NSF Registration Number	043649		
Recommended use of the che	emical and restrictions on use		
Application	Food-compatible grease.		
Uses advised against	No specific uses advised against are identified.		
Details of the supplier of the s	afety data sheet		
Manufacturer	Lubriplate Lubricants Co. Corporate Headquarters 129 Lockwood Street Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605		
	419-691-2491 419-693-3806		
Emergency telephone number Emergency telephone	Chem-Tel: 1-800-255-3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)		
2. Hazard(s) identification			
Classification of the substance	e or mixture		
Physical hazards	Not Classified		
Health hazards	Not Classified		
Environmental hazards	Aquatic Acute 2 - H401 Aquatic Chronic 2 - H411		
Label elements Hazard symbols			
Hazard statements	H411 Toxic to aquatic life with long lasting effects.		

P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations. Other hazards This product does not contain any substances classified as PBT or vPvB. 3. Composition/information on ingredients			
P501 Dispose of contents/ container in accordance with national regulations.	3. Composition/information on ingredients		
P501 Dispose of contents/ container in accordance with national regulations.			
P391 Collect spillage.			
Precautionary statements P273 Avoid release to the environment.			

White mineral oil (petroleum)		30-60%
CAS number: 8042-47-5		
Classification		
Not Classified		
zinc oxide		10-30%
CAS number: 1314-13-2		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
2,6-Di-tert-butyl-4-methylphenol		<1%
CAS number: 128-37-0		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
The full text for all hazard stateme	nts is displayed in Section 16.	
Composition comments *	The exact percentage withheld as a trade secret in accordanc	e with 29 CFR 1910.1200.

 4. First-aid measures

 Description of first aid measures

 General information
 Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

 Inhalation
 Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.

Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Indication of immediate medica	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	ne substance or mixture
Specific hazards	None known.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	S

Personal precautions, protective equipment and emergency procedures

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep
	unnecessary and unprotected personnel away from the spillage. Wear protective clothing as
	described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure
	procedures and training for emergency decontamination and disposal are in place. Do not
	touch or walk into spilled material.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Utilize retaining walls to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Miscellaneous hazardous material storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure controls/Persona	I protection
Control parameters	
Occupational exposure limits	

White mineral oil (petroleum)

Mineral oil, excluding metal working fluids (pure, highly and severely refined) Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m<sup>3</sup> inhalable fraction

#### zinc oxide

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m<sup>3</sup> fume Long-term exposure limit (8-hour TWA): OSHA 15 mg/m<sup>3</sup> total dust Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m<sup>3</sup> respirable fraction Short-term exposure limit (15-minute): ACGIH 10 mg/m<sup>3</sup> respirable fraction Long-term exposure limit (8-hour TWA): OSHA 5 mg/m<sup>3</sup> respirable fraction

#### 2,6-Di-tert-butyl-4-methylphenol

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ inhalable fraction and vapor A4  $\,$ 

OSHA = Occupational Safety and Health Administration. ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen.

#### zinc oxide (CAS: 1314-13-2)

Immediate danger to life 500 mg/m<sup>3</sup> and health

Exposure controls

Protective equipment





Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

mormation on basic physical and chemical properties			
Appearance	Solid.		
Color	White/off-white.		
Odor	Mild.		
Odor threshold	Not available.		
рН	Not available.		
Melting point	Not available.		
Initial boiling point and range	>288°C (>550.4°F)		
Flash point	> 216°C/420.8°F Cleveland open cup.		
Evaporation rate	< 0.01 (butyl acetate = 1)		
Upper/lower flammability or explosive limits	Not available.		
Vapor pressure	<0.0013 kPa @ 25°C		
Vapor density	> 5		
Relative density	0.98		
Solubility(ies)	Insoluble in water.		
Partition coefficient	Not available.		
Auto-ignition temperature	Not available.		
Decomposition Temperature	Not available.		
Viscosity	Not available.		
Explosive properties	Not applicable.		
Oxidizing properties	Not available.		
Other information	None.		

### Information on basic physical and chemical properties

10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
11. Toxicological information	
Information on toxicological ef	fects
Acute toxicity - oral Notes (oral LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure

STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.		
Specific target organ toxicity - STOT - repeated exposure	pecific target organ toxicity - repeated exposure TOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.		
	Not classified as a specific target organ toxicant after repeated exposure.		
Aspiration hazard Aspiration hazard	Not relevant. Solid.		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	No specific symptoms known.		
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.		
Skin Contact	Prolonged contact may cause dryness of the skin.		
Eye contact	No specific symptoms known.		
Route of exposure	Ingestion Inhalation Skin and/or eye contact		
Target Organs	No specific target organs known.		
12. Ecological information			
<b>-</b>			
	Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.		
Persistence and degradability			
Persistence and degradability	The degradability of the product is not known.		
Bioaccumulative potential			
Bio-Accumulative Potential	No data available on bioaccumulation.		
Partition coefficient	Not available.		
Mobility in soil			
Mobility	No data available.		
Other adverse effects			
Other adverse effects	None known.		
13. Disposal considerations			
Waste treatment methods			
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.		
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.		

14	Trans	nort ir	oform	ation
14.	Trans	ροιιπ	IIOIIII	auon

General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
DOT transport notes	This product is not regulated for road transportation in accordance with 49 CFR Exceptions.
UN Number	
UN No. (TDG)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077
UN No. (DOT)	Not applicable.
UN proper shipping name	
Proper shipping name (TDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, Amines, C11-14 branched alkyl monohexyl and dihexyl phosphates)
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, Amines, C11-14 branched alkyl monohexyl and dihexyl phosphates)
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, Amines, C11-14 branched alkyl monohexyl and dihexyl phosphates)
Proper shipping name (DOT)	Not applicable.
Transport hazard class(es)	
TDG class	9
TDG label(s)	9
IMDG Class	9
ICAO class/division	9
Transport labels	
<b>DOT transport labels</b> No transport warning sign requ	Jired.
Packing group	
TDG Packing Group	III
IMDG packing group	111
ICAO packing group	III
DOT packing group	Not applicable.
Environmental hazards	
Environmentally Hazardous Su	ubstance

Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-A, S-F
DOT reportable quantity	Not applicable.
DOT TIH Zone	Not applicable.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

#### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

#### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

*Benzoic acid* None of the ingredients are listed or exempt.

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

#### SARA 313 Emission Reporting

The following ingredients are listed or exempt:

*zinc oxide* 1.0 %

#### CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

#### FDA - Essential Chemical

None of the ingredients are listed or exempt.

#### FDA - Precursor Chemical

None of the ingredients are listed or exempt.

#### SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

#### **US State Regulations**

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.

#### California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

zinc oxide

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances The following ingredients are listed or exempt: *zinc oxide* 

Massachusetts "Right To Know" List The following ingredients are listed or exempt:

zinc oxide

Rhode Island "Right To Know" List The following ingredients are listed or exempt: *zinc oxide* 

Minnesota "Right To Know" List The following ingredients are listed or exempt: *zinc oxide* 

New Jersey "Right To Know" List The following ingredients are listed or exempt: *zinc oxide* 

Pennsylvania "Right To Know" List The following ingredients are listed or exempt: *zinc oxide* 

### Inventories

US - TSCA All the ingredients are listed or exempt. White mineral oil (petroleum) Aluminum benzoate stearate zinc oxide Polyethylene Polyisobutylene 2,6-Di-tert-butyl-4-methylphenol Amines, C11-14 branched alkyl monohexyl and dihexyl phosphates Phosphorothioic acid, O,O,O-triphenyl ester Disodium sebacate Synthetic amorphous, pyrogenic silica Sodium benzoate Benzoic acid

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act
	<ul> <li>IATA: International air transport association.</li> <li>ICAO: Technical instructions for the safe transport of dangerous goods by air.</li> <li>IMDG: International maritime dangerous goods.</li> <li>CAS: Chemical abstracts service.</li> <li>ATE: Acute toxicity estimate.</li> <li>LC<sub>50</sub>: Lethal concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).</li> <li>EC<sub>50</sub>: 50% of maximal effective concentration.</li> <li>PBT: Persistent, bioaccumulative and toxic substance.</li> <li>vPvB: Very persistent and very bioaccumulative.</li> </ul>
Classification abbreviations and acronyms	Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	Rereleased through new GHS Software.
Revision date	5/17/2017
Revision	1.01
Supersedes date	7/25/2014
SDS No.	4871
Hazard statements in full	H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

End of SDS

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.