



Revision Number: 001.2

Issue date: 10/13/2020

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name:** LOCTITE SF 770 PRIMER known as  
LOCTITE® 770™ Primer Prism® P

**IDH number:** 2759219

**Product type/use:** Primer, containing solvents

**Restriction of Use:** None identified

**Region:** United States

**Company address:**  
Henkel Corporation  
One Henkel Way  
Rocky Hill, Connecticut 06067

**Contact information:**  
Telephone: +1 (860) 571-5100  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**DANGER:** HIGHLY FLAMMABLE LIQUID AND VAPOR.  
CAUSES SKIN IRRITATION.  
CAUSES SERIOUS EYE IRRITATION.  
MAY CAUSE DROWSINESS OR DIZZINESS.

| HAZARD CLASS                                     | HAZARD CATEGORY |
|--------------------------------------------------|-----------------|
| FLAMMABLE LIQUID                                 | 2               |
| SKIN IRRITATION                                  | 2               |
| EYE IRRITATION                                   | 2A              |
| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | 3               |

### PICTOGRAM(S)



### Precautionary Statements

**Prevention:** Keep away from heat, sparks, open flames, hot surfaces - no smoking. Keep container tightly closed. No release into water. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, eye protection, and face protection.

**Response:** If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing. In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.

**Storage:** Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

IDH number: 2759219

Product name: LOCTITE SF 770 PRIMER known as LOCTITE® 770™ Primer Prism® P  
Page 1 of 5

| Hazardous Component(s) | CAS Number | Percentage* |
|------------------------|------------|-------------|
| isopropyl acetate      | 108-21-4   | 80 - 100    |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### 4. FIRST AID MEASURES

|                      |                                                                                                                                                                   |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms develop and persist, get medical attention. |
| <b>Skin contact:</b> | Immediately wash skin thoroughly with soap and water. If symptoms develop and persist, get medical attention. Wash clothing before reuse.                         |
| <b>Eye contact:</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if skin or eyes become bonded.                             |
| <b>Ingestion:</b>    | Do not induce vomiting. Get medical attention.                                                                                                                    |
| <b>Symptoms:</b>     | See Section 11.                                                                                                                                                   |

#### 5. FIRE FIGHTING MEASURES

|                                           |                                                                                                                                                                                                                                               |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Extinguishing media:</b>               | Foam, dry chemical or carbon dioxide.                                                                                                                                                                                                         |
| <b>Special fire fighting procedures:</b>  | Water should be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat. Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. |
| <b>Unusual fire or explosion hazards:</b> | Vapors may accumulate in low or confined areas, travel considerable distance to source of ignition, and flash back.                                                                                                                           |
| <b>Hazardous combustion products:</b>     | Oxides of carbon.                                                                                                                                                                                                                             |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |                                                                                                                                                                                                                                                                                 |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions:</b> | Remove all sources of ignition. Do not allow product to enter sewer or waterways.                                                                                                                                                                                               |
| <b>Clean-up methods:</b>          | Ensure adequate ventilation. Store in a partly filled, closed container until disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, saw dust). Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. |

#### 7. HANDLING AND STORAGE

|                  |                                                                                                                                                  |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling:</b> | Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. |
| <b>Storage:</b>  | Keep in a cool, well ventilated area. Keep container closed.                                                                                     |

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV                   | OSHA PEL                | AIHA WEEL | OTHER |
|------------------------|-----------------------------|-------------------------|-----------|-------|
| isopropyl acetate      | 150 ppm STEL<br>100 ppm TWA | 250 ppm (950 mg/m3) PEL | None      | None  |

|                              |                                                                                                                                                           |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Engineering controls:</b> | Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits. |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                |                                                                                                                                                                                                              |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Respiratory protection:</b> | Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respirator use (29 CFR 1910.134).                                                              |
| <b>Eye/face protection:</b>    | Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Full face protection should be used if the potential for splashing or spraying of product exists. |
| <b>Skin protection:</b>        | Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.                                                                                      |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                 |                                                   |
|-------------------------------------------------|---------------------------------------------------|
| <b>Physical state:</b>                          | Liquid                                            |
| <b>Color:</b>                                   | Transparent, Clear                                |
| <b>Odor:</b>                                    | Aromatic                                          |
| <b>Odor threshold:</b>                          | Not available.                                    |
| <b>pH:</b>                                      | Not available.                                    |
| <b>Vapor pressure:</b>                          | < 700 mbar (50 °C (122°F)) 56 mbar (20 °C (68°F)) |
| <b>Boiling point/range:</b>                     | Not available.                                    |
| <b>Melting point/ range:</b>                    | Not available.                                    |
| <b>Specific gravity:</b>                        | 0.87                                              |
| <b>Vapor density:</b>                           | Not available.                                    |
| <b>Flash point:</b>                             | 4 °C (39.2 °F) Tagliabue closed cup               |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.                                    |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.                                    |
| <b>Autoignition temperature:</b>                | Not available.                                    |
| <b>Flammability:</b>                            | Not applicable                                    |
| <b>Evaporation rate:</b>                        | Not available.                                    |
| <b>Solubility in water:</b>                     | Not miscible                                      |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.                                    |
| <b>VOC content:</b>                             | > 99 %                                            |
| <b>Viscosity:</b>                               | Not available.                                    |
| <b>Decomposition temperature:</b>               | Not available.                                    |

## 10. STABILITY AND REACTIVITY

|                                          |                                                     |
|------------------------------------------|-----------------------------------------------------|
| <b>Stability:</b>                        | Stable under normal conditions of storage and use.  |
| <b>Hazardous reactions:</b>              | Will not occur.                                     |
| <b>Hazardous decomposition products:</b> | Oxides of carbon.                                   |
| <b>Incompatible materials:</b>           | Oxidizing agents.                                   |
| <b>Reactivity:</b>                       | Not available.                                      |
| <b>Conditions to avoid:</b>              | Heat, flames, sparks and other sources of ignition. |

## 11. TOXICOLOGICAL INFORMATION

|                                     |                |
|-------------------------------------|----------------|
| <b>Relevant routes of exposure:</b> | Not available. |
|-------------------------------------|----------------|

#### Potential Health Effects/Symptoms

|                      |                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | Central nervous system depression, including dizziness, drowsiness, fatigue, nausea, headache, unconsciousness. |
| <b>Skin contact:</b> | Causes skin irritation.                                                                                         |
| <b>Eye contact:</b>  | Causes eye irritation.                                                                                          |
| <b>Ingestion:</b>    | Not expected under normal conditions of use.                                                                    |

| Hazardous Component(s) | LD50s and LC50s                                                                             | Immediate and Delayed Health Effects |
|------------------------|---------------------------------------------------------------------------------------------|--------------------------------------|
| isopropyl acetate      | Oral LD50 (Rabbit) = 6.95 g/kg<br>Oral LD50 (Rat) = 6.75 g/kg<br>Oral LD50 (Rat) = 3.0 g/kg | Irritant, Central nervous system     |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen<br>(Specifically Regulated) |
|------------------------|----------------|-----------------|---------------------------------------------|
| isopropyl acetate      | No             | No              | No                                          |

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

#### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Isopropyl acetate  
Hazard class or division: 3  
Identification number: UN 1220  
Packing group: II

#### International Air Transportation (ICAO/IATA)

Proper shipping name: Isopropyl acetate  
Hazard class or division: 3  
Identification number: UN 1220  
Packing group: II

#### Water Transportation (IMO/IMDG)

Proper shipping name: ISOPROPYL ACETATE  
Hazard class or division: 3  
Identification number: UN 1220  
Packing group: II

## 15. REGULATORY INFORMATION

#### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.

**TSCA 12 (b) Export Notification:** None above reporting de minimis

**CERCLA/SARA Section 302 EHS:** None above reporting de minimis.  
**CERCLA/SARA Section 311/312:** Immediate Health, Delayed Health, Fire  
**CERCLA/SARA Section 313:** None above reporting de minimis.  
**CERCLA Reportable quantity:** isopropyl acetate (CAS# 108-21-4) 100 lbs. (45.4 kg)

**California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

## Canada Regulatory Information

**CEPA DSL/NDL Status:**

All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 1,9,13

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 10/13/2020

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.