

Spiral

Sunlite 05645-SU CFL Black Light Bulb (BLB), Halloween Lighting, Spiral Blacklight, 20 Watts, 120 Volts, Medium Base (E26), 463nm, UL Listed, 3 Pack

Black Light Spiral

DESCRIPTION:

The Sunlite 20-watt CFL black light bulb (BLB) emits ultraviolet (UV-A) light at 463nm wavelength perfect for lighting up reactive surfaces while not illuminating the surrounding areas. Ideal for creating a glow effect with colors like true white and neon hues for parties, clubs, and Halloween decorations. Can also be used for verifying security features on ID cards and currency and detecting pet stains on carpets or furniture that are not otherwise visible to the naked eye. Standard medium base (E26) works with a wide variety of lamps and fixtures. UL listed for safety and quality and features a long 8, 000 hour life span.

FEATURES:

- CFL BLACK LIGHT (BLB) The Sunlite 20 watt blacklight bulb (BLB) emits ultraviolet (UV-A) light at 463nm wavelength perfect for lighting up reactive surfaces while not illuminating the surrounding areas.
- FESTIVE LIGHTING Ideal for creating a glow effect with colors like true white and neon hues for parties, clubs, and Halloween decorations.
- VERIFY AND DETECT Also great for verifying security features on ID cards and currency. Use to detect pet stains on carpets or furniture that are not otherwise visible to the naked eye.
- LONG LIFE SPAN Long 8, 000 hour life span means up to 7. 3 years of reliable service (based on 3 hours/day use).
- UL LISTED Tested to meet UL's strict testing standards for safety and reliability.



sunlite

Product Dimensions

Bulb Shape	ТЗ	MOL (in)	5.61			
Nanometer	463	Diameter (in)	2.29"			
Average Rated Hours	8000	Item Dimension (in)	(W) 2.29 (H) 5.61 (D) 2.29			
Base	Medium Screw (E26)	Package Dimension (in)	(W) 2.75 (H) 6.37 (D) 8.03			
Average Life Span Years	7	Package Weight (lb)	0.850			
Electrical Characteristics		Product Data				
Watts	20	Case Unit Rate	8			
Volts	120	Pack Size	3			
Power Factor	0.5	Item UPC	653703056456			
Light Characteristics		Package Type	Box			
Lumens Brightness	15					
Color Rendering Index CRI	80					
Emitted Color	Black Light Blue					
Additional Features						

Safety Rating Mark

UL Listed





VARIATIONS:



05645-SU

05439-SU

05646-SU



Item Number	Description	Watts	Lumens	CRI	Color	Hours	Pack
05645-SU	SL20/3PK	20	15	80	BLACKBLUE	E 8000	3
05439-SU	SL20	20	15	80	BLACKBLUE	E 8000	1
05646-SU	SL20/6PK	20	15	80	BLACKBLUE	E 8000	6
05647-SU	SL20/8PK	20	15	80	BLACKBLUE	E 8000	8