

Bi-Pin

Sunlite Q10/FR/G4/12V/12PK Q10/FR/G4/12V Halogen 10-Watt Single Ended T2.5, Frosted Ligh Bulb, 90 Lumen, 12 Volt, G4 (Bi-Pin) Base, 2000 Hour Life Span, 12 Pack, 3200K-Cool White

Single Ended T2.5

DESCRIPTION:

Sunlite Halogen Bulbs put out more lumens per watt (LPW) than standard incandescent bulbs. These 10-watt, 12-volt lamps feature a G4 bi-pin base. Perfect for both indoor and outdoor applications. Use in chandeliers, track lighting, pendants, portable lamps, wall sconces, showcase displays, landscape lighting, and more. Convenient 12-pack.

FEATURES:

- HALOGEN LAMPS These UV protected 10-watt 12-volt halogen bulbs produce more lumens per watt (LPW) than standard incandescent bulbs.
- G4 BASE These frost lamps feature a G4 (bi-pin) base that works with a variety of applications. Each bulb measures 0.315 inches in diameter and 1.15 inches in overall height.
- DIMMABLE Fully dimmable when installed in a fixture with dimming control. Bright white, 90 lumen output.
- LONG LIFE With a 2000 hour life span these bulbs will last 1.8 years (based on 3 hours per day use).
- INDOOR AND OUTDOOR USE These bulbs are perfect for both indoor and outdoor applications. Use in chandeliers, track lighting, pendants, portable lamps, wall sconces, showcase displays, landscape lighting, and more.





SPECIFICATIONS:

General Characteristics

Bulb ShapeBi-PinAverage Rated Hours2000FinishFrostBase2-Pin (G4)Average Life Span Years2

Electrical Characteristics

 Watts
 10

 Volts
 12

Light Characteristics

Lumens Brightness90Color Rendering Index CRI100CoatingUV ProtectedEmitted ColorBright WhiteColor Temperature Kelvin3200K

Additional Features

Title 20 Lawful for sale in California

Mercury Free Yes

Product Dimensions

 MOL (in)
 1.15

 Diameter (in)
 0.315"

 Item Dimension (in)
 (W) 0.31 (H) 0.97 (D) 0.31

 Item Weight (Ib)
 0.100

 Package Dimension (in)
 (W) 0.75 (H) 1.95 (D) 0.75

 Package Weight (Ib)
 0.010

Product Data

 Case Unit Rate
 20

 Pack Size
 12

 Item UPC
 653703032535

 Package Type
 Box

