

Sunlite 49069 8-Inch LED Outdoor Decorative Up & Downlight, Modern Cylinder Wall Sconce Fixture, 24 Watts, 1600 Lumens, 3000K Warm White, ETL Listed, Brushed Nickel, For Porches, Garage & Entryways

Up & Down

DESCRIPTION:

Simplicity is how you would best describe the LED 8-Inch Cylinder Wall Sconce. This brushed nickel LED wall sconce highlights a slender silhouette using smooth steel that would give dimension to any wall. This sleek modern light was built with durability in mind. It washes the wall above and below with light. This modern linear wall sconce will give your home that clean, modern look without overwhelming the rest of your décor! Paired with a low-profile steel wall mount, LEDs housed in solid aluminum casing, and wet located, this contemporary wall sconce will last for years to come.

FEATURES:

- SLEEK PROFILE The LED 8 Inch Up and Down Cylinder Wall Sconce offers effortless and modest lighting to outdoor or indoor spaces. The minimal wall sconce has a low-profile steel wall mount extending to a larger vertically mounted cuboid outward. This distinctive design allows a lighting setting at its center that pours out vertically through the open end.
- MANY APPLICATIONS Understated and modern appeal, this fixture will add that minimalistic curb appeal to any home. By providing bright illumination, the cylinder light makes for great lighting near your garage entrance. The minimalistic Wall sconce spreads proper light over surrounding walls and ground. With its recessed LEDs and clear diffuser to soften the light makes it perfect for porches, gateways, and entryways.
- GEOMETRIC DESIGN The energy-efficient LED wall sconce is a modern-day lighting mainstay that's low profile and yet stylish. The simplistic wall sconce has a geometric design that provides a sufficient amount of soft, diffused lighting. Our light would be ideal for placement in areas like hallways, bedrooms, and living rooms.
- DURABILITY The low-maintenance wall sconce sports a solid aluminum and steel construction, so it is built to last. Its recessed lighting and robust housing allow a greater degree of durability within its application space.
- WET LISTED & EASY INSTALLATION ETL Listed for Wet located rated and 120V, which is great for many applications outdoors. Perfect for front lawns, gardens, and balconies, and many more! Designed to be installed directly to a standard junction box on any wall. Hardware and instructions for mounting on any standard junction box included. Dimensions: 8.3" H | 4-1/2" W | 2.8" D





SPECIFICATIONS:

General Characteristics

Integrated LED

Brushed Nickel

Incandescent)

Steel & Glass

10%-100%

Integrated Residential

Warm White

3000K

120°

Forward Phase (Triac or

50000

46

Yes

Clear

Bulb Shape Average Rated Hours

Finish

Average Life Span Years

Dimmable

Dimming Type

Dimming Percentage

Material Lens Finish Bulb Type

Dinining Percentage

Application

Electrical Characteristics

Watts 24
Volts 120
Equivalent Wattage 160
LED Chip Manufacturer 2835
Power Factor 0.9

Light Characteristics

Lumens Brightness 1600
Color Rendering Index CRI 81

Emitted Color

Color Temperature Kelvin Beam Angle

Fixture Characteristics

StyleModernShapeTubularNumber of Lights2MountingWallFixture TechnologyLEDUse LocationOutdoor

Additional Features

Safety Rating Mark ETL Listed - Wet Location

Safety Rated For Canada Yes
Safety Rated For USA Yes

Product Dimensions

Size Item Dimension (in) Package Dimension (in) Package Weight (lb)

Product Data

Case Unit Rate Item UPC Warranty Years 8"

(W) 8.3 (H) 2.8 (D) 8.3 (W) 5.1 (H) 7.3 (D) 9.2

2.6

6

653703490694

5





ACCESSORIES:

Catalog # 98952-CMP Universal