

**Sunlite 87735 6" LED Canless  
Commercial Recessed Round Downlight  
Fixture, 22 Watts, Multi-Volt, 2000  
Lumens, Tunable 30K/35K/40K/50K  
Color, Dimmable, 90 CRI, UL Listed, For  
Hotel, Retail & Office Use**



**DESCRIPTION:**

Sunlite LED 6-inch Round Recessed lighting fixtures are an energy efficient solution to your lighting needs. These fixtures can be installed into existing recessed cans or canless. Built-in spring clips will hold the fixture flush to the ceiling. These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 3500K Neutral White, 4000K Cool White or 5000K Daylight depending on your preference using a switch located on the back of the fixture. These fixtures can be dimmed when attached to a low voltage (0-10V) dimming control. Range is 100-10%. 90 CRI. Dimmer List: Leviton DS710, IP710. Lutron: NTSTV-DV, NFTV, DVTW-WH. Legrand: RH4FBL3PW. For use with 120-277 voltage electrical systems. Provides up to 50,000 hours energy efficient light that only uses 22 watts of electricity. No maintenance, long-life LED technology means you won't need to climb ladders to replace difficult to reach bulbs. Ideal for Hotels, Offices & Retail. This is an Energy Star Certified fixture. Installing it may qualify you for state or local rebates. UL Listed for wet location installation. IC Rated and Air Tight. Great for commercial or residential applications. Estimated annual energy costs of \$2.65 (Based on 3 Hrs/Day at \$0.11/kWh).

**FEATURES:**

- **CANLESS INSTALLATION** - These 6-inch LED recessed lighting fixtures are ideal for new installations and retrofits. These fixtures can be installed into existing recessed cans or canless. Built-in spring clips will hold the fixture flush to the ceiling.
- **COLOR TUNABLE** - These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 3500K Neutral White, 4000K Cool White or 5000K Daylight depending on your preference using a switch located on the back of the fixture.
- **DIMMABLE** - These fixtures can be dimmed when attached to a low voltage (0-10V) dimming control. Range is 100-10%. 90 CRI. Dimmer List: Leviton DS710, IP710. Lutron: NTSTV-DV, NFTV, DVTW-WH. Legrand: RH4FBL3PW. For use with 120-277 voltage electrical systems.
- **LONG LIFE** - Provides up to 50,000 hours energy efficient light that only uses 22 watts of electricity. No maintenance, long-life LED technology means you won't need to climb ladders to replace difficult to reach bulbs. Ideal for Hotels, Offices & Retail.
- **ENERGY STAR** - This is an Energy Star Certified fixture. Installing it may qualify you for state or local rebates. UL

## SPECIFICATIONS:

### General Characteristics

<b>Average Rated Hours</b>	50000
<b>Finish</b>	White
<b>Average Life Span Years</b>	46
<b>Dimmable</b>	Yes
<b>Material</b>	Aluminum & PC
<b>Lens Finish</b>	Frosted

### Electrical Characteristics

<b>Watts</b>	22
<b>Volts</b>	120-277

### Light Characteristics

<b>Lumens Brightness</b>	2000
<b>Color Rendering Index CRI</b>	90
<b>Emitted Color</b>	CCT Tunable
<b>Color Temperature Kelvin</b>	30K/35K/40K/50K

### Fixture Characteristics

<b>Mounting</b>	Recessed
<b>Fixture Technology</b>	LED
<b>Use Location</b>	Indoor

### Additional Features

<b>Energy Star</b>	Yes
<b>Energy Star Number</b>	2376127
<b>Title 20</b>	Lawful for sale in California

### Product Dimensions

<b>Size</b>	6"
<b>MOL (in)</b>	4.45
<b>Diameter (in)</b>	7
<b>Item Dimension (in)</b>	(W) 7.75 (H) 5.75 (D) 7.75
<b>Item Weight (lb)</b>	13.15
<b>Package Dimension (in)</b>	(W) 16.25 (H) 8.5 (D) 17.75
<b>Package Weight (lb)</b>	13.15

### Product Data

<b>Case Unit Rate</b>	6
<b>Item UPC</b>	653703877358
<b>Warranty Years</b>	5



## **ACCESSORIES:**

Catalog # 40202-SU  
**LED**



Catalog # 88171-SU  
**Emergency**