

Sunlite 87736 8" LED Canless Commercial Recessed Round Downlight Fixture, 33 Watts, Multi-Volt, 3000 Lumens, Tunable 30K/35K/40K/50K Color, Dimmable, 90 CRI, UL Listed, For Hotel, Retail & Office Use

DESCRIPTION:

Sunlite LED 8-inch Round Recessed lighting fixtures are an energy efficient solution to your lighting needs. These fixtures can be installed into existing recessed cans or canless. Built-in spring clips will hold the fixture flush to the ceiling. These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 3500K Neutral White, 4000K Cool White or 5000K Daylight depending on your preference using a switch located on the back of the fixture. These fixtures can be dimmed when attached to a low voltage (0-10V) dimming control. Range is 100-10%. 90 CRI. Dimmer List: Leviton DS710, IP710. Lutron: NTSTV-DV, NFTV, DVTV-WH. Legrand: RH4FBL3PW. For use with 120-277 voltage electrical systems. Provides up to 50,000 hours energy efficient light that only uses 33 watts of electricity. No maintenance, long-life LED technology means you won't need to climb ladders to replace difficult to reach bulbs. Ideal for Hotels, Offices & Retail. This is an Energy Star Certified fixture. Installing it may qualify you for state or local rebates. UL Listed for wet location installation. IC Rated and Air Tight. Great for commercial or residential applications. Estimated annual energy costs of \$3.97 (Based on 3 Hrs/Day at \$0.11/kWh).

FEATURES:

- CANLESS INSTALLATION These 8-inch LED recessed lighting fixtures are ideal for new installations and retrofits. These fixtures can be installed into existing recessed cans or canless. Built-in spring clips will hold the fixture flush to the ceiling.
- COLOR TUNABLE These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 3500K Neutral White, 4000K Cool White or 5000K Daylight depending on your preference using a switch located on the back of the fixture.
- DIMMABLE These fixtures can be dimmed when attached to a low voltage (0-10V) dimming control. Range is 100-10%. 90 CRI. Dimmer List: Leviton DS710, IP710. Lutron: NTSTV-DV, NFTV, DVTV-WH. Legrand: RH4FBL3PW. For use with 120-277 voltage electrical systems.
- LONG LIFE Provides up to 50,000 hours energy efficient light that only uses 33 watts of electricity. No maintenance, long-life LED technology means you won't need to climb ladders to replace difficult to reach bulbs. Ideal for Hotels, Offices & Retail.
- ENERGY STAR This is an Energy Star Certified fixture.
 Installing it may qualify you for state or local rebates. UL





SPECIFICATIONS:

General Characteristics

Average Rated Hours Finish Average Life Span Years

Dimmable

Material Lens Finish

Electrical Characteristics

 Watts
 33

 Volts
 120-277

50000

White

46

Yes

Frosted

Aluminum & PC

Light Characteristics

Lumens Brightness3000Color Rendering Index CRI90

Emitted Color CCT Tunable Color Temperature Kelvin 30K/35K/40K/50K

Fixture Characteristics

MountingRecessedFixture TechnologyLEDUse LocationIndoor

Additional Features

Energy Star Yes
Energy Star Number 2376128

Title 20 Lawful for sale in California

Product Dimensions

Size
MOL (in)
Diameter (in)
Item Dimension (in)
Item Weight (lb)
Package Dimension (in)
Package Weight (lb)

Product Data

Case Unit Rate Item UPC Warranty Years 5.2 10 (W) 9.88 (H) 6.12 (D) 9.88 17.64

(W) 10.44 (H) 20.5 (D) 18.75 17.64

6

8"

653703877365

5





ACCESSORIES:



Catalog # 88171-SU Emergency