

**Sunlite 87737 8" LED Canless
Commercial Recessed Round Downlight
Fixture, 55 Watts, Multi-Volt, 5000
Lumens, Tunable 30K/35K/40K/50K
Color, Dimmable, 90 CRI, UL Listed, For
Hotel, Retail & Office Use**



DESCRIPTION:

Sunlite LED 8-inch Round Recessed lighting fixtures are an energy efficient solution to your lighting needs. These fixtures can be installed into existing recessed cans or canless. Built-in spring clips will hold the fixture flush to the ceiling. These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 3500K Neutral White, 4000K Cool White or 5000K Daylight depending on your preference using a switch located on the back of the fixture. These fixtures can be dimmed when attached to a low voltage (0-10V) dimming control. Range is 100-10%. 90 CRI. Dimmer List: Leviton DS710, IP710. Lutron: NTSTV-DV, NFTV, DVTW-WH. Legrand: RH4FBL3PW. For use with 120-277 voltage electrical systems. Provides up to 50,000 hours energy efficient light that only uses 55 watts of electricity. No maintenance, long-life LED technology means you won't need to climb ladders to replace difficult to reach bulbs. Ideal for Hotels, Offices & Retail. This is an Energy Star Certified fixture. Installing it may qualify you for state or local rebates. UL Listed for wet location installation. IC Rated and Air Tight. Great for commercial or residential applications. Estimated annual energy costs of \$6.62 (Based on 3 Hrs/Day at \$0.11/kWh).

FEATURES:

- **CANLESS INSTALLATION** - These 8-inch LED recessed lighting fixtures are ideal for new installations and retrofits. These fixtures can be installed into existing recessed cans or canless. Built-in spring clips will hold the fixture flush to the ceiling.
- **COLOR TUNABLE** - These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 3500K Neutral White, 4000K Cool White or 5000K Daylight depending on your preference using a switch located on the back of the fixture.
- **DIMMABLE** - These fixtures can be dimmed when attached to a low voltage (0-10V) dimming control. Range is 100-10%. 90 CRI. Dimmer List: Leviton DS710, IP710. Lutron: NTSTV-DV, NFTV, DVTW-WH. Legrand: RH4FBL3PW. For use with 120-277 voltage electrical systems.
- **LONG LIFE** - Provides up to 50,000 hours energy efficient light that only uses 55 watts of electricity. No maintenance, long-life LED technology means you won't need to climb ladders to replace difficult to reach bulbs. Ideal for Hotels, Offices & Retail.
- **ENERGY STAR** - This is an Energy Star Certified fixture.

SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	0-10V Low Voltage
Dimming Percentage	0%-100%
Material	Aluminum & PC
Lens Finish	Frosted

Electrical Characteristics

Watts	55
Volts	120-277

Light Characteristics

Lumens Brightness	5000
Color Rendering Index CRI	90
Emitted Color	CCT Tunable
Color Temperature Kelvin	30K/35K/40K/50K
Beam Angle	90°

Fixture Characteristics

Mounting	Recessed
IC Rating	Yes
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	UL Listed - Wet Location
Safety Rated For USA	Yes
Energy Star	Yes
Energy Star Number	2376129
Title 20	Lawful for sale in California

Product Dimensions

Size	8"
MOL (in)	5.65
Diameter (in)	10
Item Dimension (in)	(W) 10 (H) 6.88 (D) 10
Item Weight (lb)	20.96
Package Dimension (in)	(W) 10.48 (H) 20.25 (D) 21
Package Weight (lb)	20.96

Product Data

Case Unit Rate	6
Item UPC	653703877372
Warranty Years	5



ACCESSORIES:

Catalog # 40203-SU
EM