

Sunlite 88176 LED Portable Construction Work Light with Tripod Stand, 72 Watts, 7000 Lumens, 6 Foot Cord, for Workshops, Garages, Attics, Basements, Painting, Job Sites, UL Listed, 40K - Cool White

DESCRIPTION:

Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.

FEATURES:

- **PORTABLE WORK LIGHT** - The Sunlite LED portable work light is an ideal companion for any job. Sturdy and durable with its bright yellow metal frame and with black impact-resistant plastic trim. Plus, this lightweight work light features a solid tripod that is easy to set up and fold. The extendable tripod can be adjusted up to 6ft. The lamp features a long 50,000-hour life span. With its LEDs, there are no bulbs to break/replace.
- **MULTIPLE POSITIONS** - With its adjustable tripod reaching up to 6ft, this work light is entirely versatile. Pivots vertically and horizontally allowing you to direct the lighting just where you need it. Convenient thumb knobs to lock the position in place. Removable base for attaching to light stands or mounting on a solid surface. Built-in on/off toggle switch.
- **LED TECHNOLOGY** - Energy efficient integrated LED technology means it only uses 72 watts of electricity and remains cool to the touch when lit than other work lights. Bright 7000-lumen output at cool white color temperature (4000K).
- **VARIETY OF USES** - 6-foot-long grounded cord, UL, and ETL listed, the portable work light is an excellent option for various areas. Certified IP65 and designed to withstand 50,000 hours, perfect for your next outdoor project! Safe for use in workshops, garages, attics, basements, job sites, for painting, maintenance work, car repairs, and more.
- **UL LISTED** - Tested to meet UL's rigorous safety and quality standards for use in damp locations.



SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	Yellow
Average Life Span Years	46
Ingress Protection	IP65 (Dust-tight solids, Water jets)
Dimmable	No
Dimming Type	Not Dimmable
Material	Aluminum
Lens Material	Glass
Lens Finish	Clear
Application	Commercial

Electrical Characteristics

Watts	72
Volts	120
Equivalent Wattage	500
LED Chip Manufacturer	SMD
Power Factor	0.95
Temperature	-22°F - 122°F

Light Characteristics

Lumens Brightness	7000
Color Rendering Index CRI	80
Emitted Color	Cool White
Color Temperature Kelvin	4000K
Beam Angle	110°

Fixture Characteristics

Number of Lights	1
Mounting	Portable
Fixture Technology	LED
Use Location	Outdoor

Additional Features

Safety Rating Mark	ETL Listed - Wet Location
--------------------	---------------------------

Product Dimensions

Item Dimension (in)	(W) 11.8 (H) 25.39 (D) 5.11
Package Dimension (in)	(W) 26.5 (H) 11.5 (D) 12.5
Package Weight (lb)	19.32
Cord Length	6'

Product Data

Case Unit Rate	2
Item UPC	653703881768
Warranty Years	1

