

DESCRIPTION:

Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.

FEATURES:

-
-
-
-
-



SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	Matte Silver
Average Life Span Years	46
Ingress Protection	IP20 (12.5 mm solids, Not protected from liquids)
Dimmable	No
Dimming Type	0-10V Low Voltage
Dimming Percentage	10%-100%
Material	Aluminum & Pc
Lens Material	Polycarbonate
Lens Finish	White

Electrical Characteristics

Watts	10
Volts	100-277
LED Chip Manufacturer	SMD2835
Power Factor	0.9
Temperature	-20~40

Light Characteristics

Lumens Brightness	1100
Color Rendering Index CRI	80
Emitted Color	Neutral White
Color Temperature Kelvin	3500K

Fixture Characteristics

Style	Modern
Shape	Rectangle
Number of Lights	1
Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	UL Listed
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Classification	Standard

Product Dimensions

Size	2' Foot
Item Dimension (in)	(W) 0.56 (H) 24 (D) 0.48
Package Dimension (in)	(W) 24.8 (H) 3.46 (D) 2
Package Weight (lb)	0.9
Cord Length	6" Cord

Product Data

Case Unit Rate	12
Item UPC	653703887869
Warranty Years	5



ACCESSORIES:

Catalog # 88797-SU
TGRID/DRIVER/2FT/30W