

# Recycled Tuff Rug™ Roll #RRUG36H - 36" x 150', 1 roll/package



Highly absorbent recycled-fiber mat has walk-on durability.

- Recycled polyester and acrylic fibers absorb up to 84.6 gallons per roll
- High tensile strength stands up to jobs with steady foot traffic
- Dark, multicolored mat looks cleaner longer as fluids are absorbed
- Rolls are ideal for covering large areas

## **RRUG36H Specifications**

**Dimensions:** 36" W x 150' L

**Shipping** 19" W x 36" L x 19" H

**Dimensions:** 

Sold as: 1 roll per package

Color: Multi

Composition:Polyester/Acrylic FibersRecycled Content:60% Post-Consumer WasteAbsorbency:Up to 84.6 gal. per package

Weight: 50 lbs. # per Pallet: 12

Basis Weight: HeavyWeight

Incinerable: Yes Ship Class: 175

# **Metric Equivalent Specifications**

**Dimensions:** 91.4cm W x 46m L

**Shipping** 48.3cm W x 91.4cm L x 48.3cm H

**Dimensions:** 

**Absorbency:** Up to 320.2 L per package

Weight: 22.7 kg



Online: spilltech.com

Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other) Email: sales@spilltech.com

## **RRUG36H Technical Information**

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

### **Regulations and Compliance:**

29 CFR 1910.22(a)(2) - Floors in your workplace should be, "maintained in a clean and, so far as possible, a dry condition."

29 CFR 1910.107(g)(2) - OSHA requires spraying areas to be "kept as free from the accumulation of deposits of combustible residues as practical."

29 CFR 1910.107(b)(3) - If floors in a spray booth or work area are combustible, they "shall be covered with noncombustible material of such character as to facilitate the safe cleaning and removal of residues."

### **Technical Documents:**

(Available at **spilltech.com**)
Product Data Sheet (PDS)
Safety Data Sheet (SDS)



Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other)

Email: sales@spilltech.com