

# Oil-Only 95-Gallon Hi-Viz OverPack Drum Spill Kit #SPKO-95-HV - Absorbs up to 79.7 Gallons



Be prepared for fast response with a high-visibility SpillTech® Oil-Only Spill Kit!

- Packed with a variety of quality SpillTech® Oil-Only sorbents to handle spills of oil and other petroleum-based fluids — while repelling water
- Lightweight, polypropylene drum resists chemicals and keeps contents clean and dry
- Bright green drum stands out, even in low light conditions
- Nonthreaded lid lifts off for easy access (not rated as a shipping container)

## **SPKO-95-HV Specifications**

**Dimensions:** ext. dia. 31.75" x 41.5" H **Shipping** 31.75" W x 41.5" L x 31.75" H

Dimensions:

Sold as: 1 per package

**Absorbency:** Up to 79.7 gal. per package

Weight: 91.4 lbs.

# per Pallet: 2
Incinerable: No
Ship Class: 250

Includes: 150 - 15" x 19" White Oil-Only

HeavyWeight SonicBonded Pads

(WPB100H)

12 - 3" x 4' White Oil-Only Sorbent

Socks (WSO430)

6 - 3" x 8' White Oil-Only Sorbent

Socks (WSO815)

7 - 18" x 18" White Oil-Only Sorbent

Pillows (WPIL1818)

3 - 1 lb. Plug & Dike Epoxy Putty (A-

PND)

2 - Pair Nitrile Gloves (A-GLV-NIT)

1 - Safety Goggles (A-GOG)

4 - 30" x 6" x 60" Yellow Disposal

Bags & Ties (A-DISPBAG)

1 - Emergency Response GuideBook

(A-EGB)

1 - 3" x 5" Vinyl Spill Kit Label (A-

KITLABEL)

6 - 6" x 2" TamperProof Seals (A-

SEAL)

1 - 31.75" x 41.5" Hi-Viz 95-Gallon

Overpack (A95OVER-HV)

# **Metric Equivalent Specifications**

**Dimensions:** ext. dia. 80.6cm x 105.4cm H

**Shipping** 80.6cm W x 105.4cm L x 80.6cm H

**Dimensions:** 

**Absorbency:** Up to 301.7 L per package

Weight: 41.5 kg



Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other) Email: sales@spilltech.com

### **SPKO-95-HV Technical Information**

#### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

## **Regulations and Compliance:**

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 263.30(a) - In the event of a spill, transporters must, "take appropriate immediate action to protect human health and the environment."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

29 CFR 1910.1450(e) - OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

#### **Technical Documents:**

(Available at spilltech.com)

Product Data Sheet (PDS)



Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other)

Email: sales@spilltech.com