

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : A00141 GEN JOE SS CLNR GJ02114 20N15

Material number : 000000000001047595

Manufacturer or supplier's details

Company :

Address :

Telephone :

Emergency telephone numbers

For SDS Information :

For a Medical Emergency :

For a Transportation :

Emergency

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	characteristic

GHS Classification

Flammable aerosols : Category 1
Gases under pressure : Liquefied gas
Skin irritation : Category 2
Skin sensitisation : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.
H280 Contains gas under pressure; may explode if heated.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 50 - < 70
Distillates (petroleum), hydrotreated light	64742-47-8	>= 20 - < 30
propane	74-98-6	>= 5 - < 10
butane	106-97-8	>= 5 - < 10
citral	5392-40-5	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.
Wash off immediately with plenty of water for at least 15 minutes.
If on clothes, remove clothes.

In case of eye contact : Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
If in eyes, rinse with water for 15 minutes.

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.
Symptoms may include irritation, redness, pain, and rash.
Effects are dependent on exposure (dose, concentration, contact time).
Causes skin irritation.
May cause an allergic skin reaction.
Review section 2 of SDS to see all potential hazards.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
Water spray jet
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Smoke
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

concentrations. Vapours can accumulate in low areas.

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Always replace cap after use.
Do not breathe vapours or spray mist.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
No smoking.
Keep in a dry, cool and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable)	5 mg/m ³	ACGIH

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

		fraction)		
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Safety glasses
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

Appearance	: Aerosol containing a liquefied gas
Colour	: clear
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 4,136 hPa (21 °C)
Relative vapour density	: No data available
Density	: 0.856 g/cm ³
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: 46.27 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition	: Carbon oxides

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

products

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition : None known.
Symptoms of Overexposure : Effects are immediate and delayed.
Symptoms may include irritation, redness, pain, and rash.
Effects are dependent on exposure (dose, concentration, contact time).

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Acute toxicity

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 5 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: > 5,000 mg/kg

Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l
Exposure time: 6 h

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

propane:

Acute inhalation toxicity : LC50 Mouse: 1,237 mg/l
Exposure time: 2 h

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

LC50 Rat: 658 mg/l
Exposure time: 4 h

LC50 Rat: 1,355 mg/l

butane:
Acute inhalation toxicity : LC50 Mouse: 1,237 mg/l
Exposure time: 2 h

LC50 Rat: 1,355 mg/l

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Distillates (petroleum), hydrotreated heavy naphthenic:

Distillates (petroleum), hydrotreated light:

propane:

butane:

citral:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

Components:

Distillates (petroleum), hydrotreated light:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-octanol/water : Remarks: No data available

Components:

butane :

Partition coefficient: n-octanol/water : Pow: 2.89

citral :

Partition coefficient: n-octanol/water : Pow: 2.76

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

Components:

Distillates (petroleum), hydrotreated light :

Additional ecological information : No data available

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):
ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):
UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):
UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.
No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

SARA 311/312 Hazards : Sudden Release of Pressure Hazard
Acute Health Hazard
Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory
DSL This product contains one or several components that are not on the Canadian DSL nor NDSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

OSHA GHS Label Information:

Hazard pictograms



SAFETY DATA SHEET

A00141 GEN JOE SS CLNR GJ02114 20N15

Version 1.2

Revision Date 02/02/2017

Print Date 11/14/2019

Signal word : **Danger:**
Hazard statements : Extremely flammable aerosol. Contains gas under pressure; may explode if heated.
Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements :
Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.
Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.
Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.2
Revision Date:	02/02/2017
Print Date:	11/14/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

California – Product Right-To-Know Ingredient Disclosure

Material Number: 000000000001047595

Product Name: Genuine Joe Stainless Steel Cleaner Gj02114

Version: 1.0

Revision Date: 08/09/2019

Print Date: 08/20/2019

Below is list of components identified for disclosure under SB 258 along with Chemical Abstract Number and functional purpose.

Ingredient Name	CAS Number	Functional Purpose
Hydrotreated Heavy Alkanes	64742-52-5	Solubilizer
Hydrotreated Light Alkanes	64742-47-8	Solubilizer
Propane	74-98-6	Propellant
Butane	106-97-8	Propellant
Non-Hazardous - Not Provided By Vendor	Not Available	Fragrance
Citral	5392-40-5	Fragrance
Lime oil	8008-26-2	Fragrance

Designated Lists

- 1) **CA Prop 65.** Chemicals known to the State of California to cause cancer or reproductive toxicity (including developmental, female and male toxicity) that are listed pursuant to the Safe Drinking Water and Toxic Enforcement Act of 1986 (California Code of Regulations, Title 22, Division 2, Subdivision 1, Chapter 3, Sections 1200 et seq, also known as Proposition 65).
- 2) **EU CMRs.** Chemicals classified by the European Union as carcinogens, mutagens, and/or reproductive toxicants in Category 1A and 1B in Annex VI to Regulation (EC) 1272/2008.
- 3) **EU Endocrine Disruptors.** Chemicals included in the European Union candidate list of Substances of Very High Concern in accordance with Article 59 of Regulation (EC) 1907/2006 on the basis of Article 57(f) for endocrine disrupting properties.

- 4) **IRIS Neurotoxicants**. Chemicals for which a reference dose or reference concentration has been developed based on neurotoxicity in the United States Environmental Protection Agency's Integrated Risk Information System.
- 5) **IRIS Carcinogens**. Chemicals that are identified as "carcinogenic to humans", "likely to be carcinogenic to humans", or Group A, B1, or B2 carcinogens in the United States Environmental Protection Agency's Integrated Risk Assessment System.
- 6) **EU PBTs**. Chemicals included in the European Union candidate list of Substances of Very High Concern in accordance with Article 59 of Regulation (EC) 1907/2006 on the basis of Article 57(d), Article 57(e), or Article 57(f) for persistent bioaccumulative and toxic, or very persistent and very bioaccumulative properties.
- 7) **Canada PBTs**. Chemicals that are identified as Persistent, Bioaccumulative, and Inherently Toxic to the environment by the Canadian Environmental Protection Act Environmental Registry Domestic Substances List.
- 8) **EU Respiratory Sensitizers**. Chemicals classified by the European Union as respiratory sensitizers Category 1 in Annex VI to Regulation (EC) 1272/2008.
- 9) **IARC Carcinogens**. Group 1, 2a, or 2b carcinogens identified by the International Agency for Research on Cancer, World Health Organization, in Monographs on the Evaluation of Carcinogenic Risks to Humans.
- 10) **ATSDR Neurotoxicants**. Neurotoxicants that are identified in the United States' Department of Health and Human Services' Agency for Toxic Substances and Disease Registry's Toxic Substances Portal under "Health Effects of Toxic Substances and Carcinogens, Nervous System."
- 11) **US EPA Priority Chemicals List**. Persistent, Bioaccumulative and Toxic Priority Chemicals that are identified by the United States Environmental Protection Agency's National Waste Minimization Program.
- 12) **US NTP Reproductive or Developmental Toxicants**. Reproductive or developmental toxicants identified in "Monograph on the Potential Human Reproductive and Developmental Effects" published by the United States Department of Health and Human Services' National Toxicology Program, Office of Health Assessment and Translation.
- 13) **US EPA PBTs**. Chemicals identified by the United States Environmental Protection Agency's Toxics Release Inventory program as Persistent, Bioaccumulative and Toxic Chemicals that are subject to reporting under Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986.
- 14) **WA PBTs**. The Washington Department of Ecology's Persistent, Bioaccumulative, Toxic (PBT) Chemicals identified in the Washington Administrative Code, Title 173, Chapter 173-333.
- 15) **US NTP Carcinogens**. Chemicals that are identified as "known to be" or "reasonably anticipated to be" human carcinogens in the 13th Report on Carcinogens and any subsequent revisions prepared by the United States Department of Health and Human Services' National Toxicology Program.
- 16) **CA NLS**. Chemicals for which notification Levels, as defined in Health and Safety Code Section 116455, have been established by the California Department of Public Health or the State Water Resources Control Board.
- 17) **CA MCLs**. Chemicals for which primary Maximum Contaminant Levels have been established and adopted under Sections 64431 or 64444 of Chapter 15 of Title 22 of the California Code of Regulations.
- 18) **CA TACs**. Chemicals identified as Toxic Air Contaminants under Sections 93000 or 93001 of Title 17 of the California Code of Regulations.

- 19) **CA Priority Pollutants**. Chemicals that are identified as priority pollutants in the California Water Quality Control Plans under Section 303(c) of the federal Clean Water Act and in Section 131.38 of Title 40 of the Code of Federal Regulations, or identified as pollutants by California or the United State Environmental Protection Agency for one or more water bodies in California under Section 303(d) of the federal Clean Water Act and Section 130.7 of Title 40 of the Code of Federal Regulations.
- 20) **CA Non-Cancer Hazards**. Chemicals that are identified with non-cancer endpoints and listed with an inhalation or oral Reference Exposure Level by the California Office of Environmental Health Hazard Assessment under Health and Safety Code Section 44360(b)(2).
- 21) **CA Priority Chemicals**. Chemicals identified as priority chemicals by the California Environmental Contaminant Biomonitoring program pursuant to Section 105449.
- 22) **Marine Priority Action Chemicals**. Chemicals that are identified on Part A of the list of Chemicals for Priority Action prepared by the Oslo and Paris Conventions for the Protection of the Marine Environment of the North-East Atlantic.
- 23) **EU Fragrance Allergens**. Chemicals identified as fragrance allergens in Annex III of the EU Cosmetics Regulation 1223/2009, as required to be labeled by the European Detergents Regulation No. 648/2004.
- 24) **AOEC Asthmagens**. Chemicals designated as asthmagens by the Association of Occupational and Environmental Clinics.
- 25) **US EPA TSCA Chemicals of Concern**. chemical for which the United States Environmental Protection Agency has issued a Chemical of Concern Action Plan pursuant to the federal Toxic Substances Control Act.
- 26) **US EPA Ozone Depletors**. Chemicals identified as a Class I or Class II Ozone-Depleting Substance by the United States Environmental Protection Agency.
- 27) **NY DOH MCLs**. Chemicals for which Maximum Contaminant Levels have been established and adopted in Tables 1, 3, 3A, and 7 of Subpart 5-1.52 of Title 10 of the New York Code of the Rules and Regulations (10 NYCRR Subpart 5-1.52).
- 28) **GLWQA Chemicals of Mutual Concern**. Chemicals identified as Chemicals of Mutual Concern developed under the 2012 U.S./ Canada Great Lakes Water Quality Agreement (GLWQA) Annex 3.
- 29) **NY Air Toxics**. Chemicals identified as high toxicity air contaminants in Part 212 of Title 6 of the New York Codes of Rules and Regulations (6 NYCRR Subpart 212-2.2, as defined in Subpart 212-1.2 (b)(9)).
- 30) **Nonfunctional Constituents**. An ingredient, impurity, or contaminant present in a covered product as an unintentional consequence of manufacturing and which has no functional or technical effect on the finished product.