Adjustable Wall Mount for hollow walls, 6 in stand-off

## Product Classification

Product Type Wall mount kit

## **General Specifications**


Mounting	Hollow walls
Dimensions	
Height	203.2 mm   8 in
Width	203.2 mm   8 in
Length	152.4 mm   6 in
Pipe Outer Diameter	114.3 mm   4.5 in   60.96 mm   2.4 in   73.66 mm   2.9 in   88.9 mm   3.5 in
Stand-off Distance	152.4 mm   6 in

Page 1 of 3

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: April 27, 2020



# Outline Drawing



# Material Specifications

Material Type Hot dip galvanized steel

## Mechanical Specifications

Wind Rating For Specifications, please contact steelproducts@commscope.com or call 800-255-1479

## Packaging and Weights

IncludedBacking plates or anchors | Wall brackets (2)Packaging quantity2Weight, net31.1 kg | 68.564 lb

Page 2 of 3

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: April 27, 2020



# MT-221

# Regulatory Compliance/Certifications

### Agency

### Classification

ISO 9001:2015

Designed, manufactured and/or distributed under this quality management system



# \* Footnotes

Wind Rating

BWS-w Base Wind Speed; FBC-Florida Building Code

Page 3 of 3

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: April 27, 2020

