

Double Block Hanger for 1-1/4 in coaxial cable

Product Classification

Product Type Hanger kit

Ordering Note CommScope® standard product in the United States and Canada

General Specifications

Cables per Hanger 2

Color Black

Hanger Type Double block hanger

Mounting 3/8 in (M10) drilled cable ladder

Dimensions

Height 49.022 mm | 1.93 in

Maximum Stack Height 3

 Width
 56.134 mm | 2.21 in

 Length
 109.982 mm | 4.33 in

 Compatible Diameter, maximum
 40.64 mm | 1.6 in

Compatible Diameter, minimum 39.624 mm | 1.56 in

Nominal Size 1-1/4 in

Electrical Specifications

Return Loss Effect 0.1 dB

DTF Effect 0.1 dB

Material Specifications

Material Type 30% glass filled polypropylene (PP)



BHD-114

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Environmental Strength Capability Double cable weight

UV Resistance, minimum with no degradation ≥100 hours exposure in accelerated UV life chamber

Packaging and Weights

 Height, packed
 5.1 cm | 2.008 in

 Width, packed
 20.3 cm | 7.992 in

 Length, packed
 30.5 cm | 12.008 in

Packaging quantity 10

Weight, gross 0.99 kg | 2.183 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system
REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



* Footnotes

Maximum Stack Height Fiber, Hybrid, Power

