




Eco-Blox Features:

- Holds 3x's more water than traditional gravel basins
- 8 panel construction for exceptional strength
- 1/2" x 3/4" hole size can be used with smaller gravel
- New slide lock connection system

Eco-Blox Assembly Instructions



Part No. ECOBLOX

1-877-80-PONDS
www.atlanticwatergardens.com


Introduction

Thank you for selecting the Atlantic Eco-Blox. Before using, please take a moment to review this manual.

Assembly Instructions

Step 1:


Begin assembly by placing one (1) large panel in a vertical position with the 27 ¾" long side on the ground. When assembly is complete this panel will become the bottom of the Eco-Blox.



Step 1

Step 2:


Next locate the 14 ½" side of one (1) of the four (4) small support panels. Insert the slide lock tabs of the 14 ½" side into the receiving channel at one end of the bottom panel. Holding the bottom panel in one hand push down on the support panel until it 'clicks' into position. The support panel should be centered on bottom panel.



Step 2

Step 3:


Repeat step #2 for the three (3) remaining support panels.




Step 3

Step 4:

Rotate the Eco-Blox so the bottom panel lays flat on the ground and the support panels are facing upright.




Step 4



Step 5

Step 5:


Install the side panel by inserting the slide lock tabs of all four (4) supports panels into the receiving channels. Starting at one end push down on the side panel above each receiving channel until they click into position. The top of the side panel should be flush with the tops of the support panels when fully installed.



Step 6

Step 6:


Repeat this step for the other side panel.



Step 7

Step 7:


Lay the Eco-Blox on its side.



Step 8

Step 8:

Install the top panel by repeating the same steps used for the sides.



Step 9

Step 9:

To complete the assembly rotate the Eco-Blox so that the bottom panel is flat on the ground and the top panel is facing up. In this position the top panel is supported by the sides as well as the center support panels. Eco-Blox should always be installed in this position. Improper installation would reduce the structural integrity of the unit and may cause the Eco-Blox to fail.



Discover the Difference

1-877-80-PONDS

www.atlanticwatergardens.com