```
______
           Section 1 -- PRODUCT AND COMPANY IDENTIFICATION
                                                                HMIS CODES
PRODUCT NAME
                                                              Health
   RectorSeal No. 5
                                                              Flammability
                                                              Reactivity
PRODUCT CODES
   25112, 25191, 25271, 25300, 25431, 25551, 25552, 25631, 25633, 25780,
25790, 25793
CHEMICAL FAMILY
   Organic
   Pipe Thread Sealant
MANUFACTURER'S NAME
                                                EMERGENCY TELEPHONE NO.
                                                 Chemtrec 24 Hours
   The RectorSeal Corporation
   2601 Spenwick Drive
                                                  (800)424-9300 USA
   Houston, Texas 77055 USA
                                                  (703)527-3887 International
DATE OF VALIDATION
                                                 TECHNICAL SERVICE TELEPHONE NO.
                                                  (800)231-3345 or (713)263-8001
   January 23, 2015
DATE OF PREPARATION
  January 9, 2013
______
          Section 2 -- HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW
OSHA Hazards
Combustable
TARGET ORGANS
Not Classified GHS CLASSIFICATION
PHYSICAL HAZARDS
Combustable liquid (Category 4)
HEALTH HAZARDS
Acute Toxicity:
Oral: Not Classified
Dermal: Not Classified Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Skin Sensitization: Not Classified
Respiratory Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: See Section 11
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified
GHS Label elements, including precautionary statements Pictogram: Harmful / Irritant
Signal Word: Warning
Hazard Statements
H303 - May be harmful if swallowed.
H313 - May be harmful in contact with skin.
H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.
Precautionary Statements
P102 - Keep out of reach of children.
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P240 - Ground/Bond container and receiving equipment
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P262 - Do not get in eyes, on skin, or on clothing.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362 - Take off contaminated clothing and wash before reuse.
EUH066 - Repeated exposure may cause skin dryness or cracking
Precautionary Statements - EU No. 1272/2008
SUMMARY OF ACUTE HAZARDS
   Irritation to eyes, nose and throat; drowsiness, narcosis, tremors and
other CNS effects at high concentration. ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION
```

Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression and unconsciousness. EYE CONTACT Watering, blurred vision, inflammation and irritation which can result in corneal injury. SKIN CONTACT Irritation, dermatitis. INGESTION Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion. SUMMARY OF CHRONIC HAZARDS Skin irritation and dermatitis. Possible liver and kidney damage. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver or kidneys may have increased susceptibility to excessive exposures. \_\_\_\_\_\_ Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS INGREDIENT: Diacetone Alcohol PERCENTAGE BY WEIGHT: 20-30 CAS NUMBER: 123-42-2 EC# : 204-626-7 \_\_\_\_\_\_ Section 4 -- FIRST AID MEASURES If INHALED: If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential. If on SKIN: Wash with soap and water. If irritation occurs, seek medical attention. If in EYES: Flush eyes with large amounts of water for 15 minutes. Get medical attention. If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give If SWALLOWED: anything by mouth to an unconscious person. \_\_\_\_\_\_\_ Section 5 -- FIRE FIGHTING MEASURES \_\_\_\_\_\_ EXTINGUSING MEDIA Foam, dry chemical, carbon dioxide or water fog. SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10). UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible - moderate flash point. Vapors heavier than air and may travel along the ground or to low spots

at considerable distances to a source of ignition resulting in potential flashback. Burning liquid may float on water. Heat may build up pressure and rupture containers.

\_\_\_\_\_\_

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

\_\_\_\_\_\_

\_\_\_\_\_

Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames.

OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers. KEEP OUT OF REACH OF CHILDREN.

\_\_\_\_\_\_ Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT UNITS

Diacetone Alcohol

50 ppm ACGIH TLV 50 ppm OSHA PEL

RESPIRATORY PROTECTION (SPECIFY TYPE): In confined poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air purifying or

supplied air respirators.

VENTILATION - LOCAL EXHAUST: Acceptable

SPECIAL: Explosion-proof equipment. MECHANICAL (GENERAL): Preferable

```
EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.
WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed
  areas thoroughly before eating, drinking, smoking, or leaving work area.
  Launder contaminated clothing before reuse.
______
        Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES
BOILING POINT:
                                   322 F (161 C) @ 760mm Hg
SPECIFIC GRAVITY (H20 = 1):
                                   1.38
                                   0.3 @ 68 F (20 C)
VAPOR PRESSURE (mm Hq):
MELTING POINT:
                                   N/A
VAPOR DENSITY (AIR = 1):
EVAPORATION RATE (ETHYL ACETATE = 1):
APPEARANCE/ODOR:
                                   Yellow Paste/Mild Odor
SOLUBILITY IN WATER:
VOLATILE ORGANIC COMPOUNDS(VOC)Content
(Theoretical Percentage By Weight):
                                   23% or (317 g/L)
Flash POINT
                                   150 F (65 C) SETA CC
LOWER EXPLOSION LIMIT
                                   N/D
UPPER EXPLOSION LIMIT
                                   N/D
______
      Section 10 -- STABILITY AND REACTIVITY
STABILITY: Stable
CONDITIONS TO AVOID: Heat, sparks, open flames, and strong oxidizing. Temperatures above 500 F (260 C).
INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen, strong oxidizing
materials, molten alkali metals.

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.
______
        Section 11 -- TOXICOLOGY INFORMATION
CHRONIC HEALTH HAZARDS
  No ingredients in this product is an IARC, NTP or OSHA Lister carcinogen.
TOXICOLOGY DATA
Ingredient Name
  Diacetone Alcohol
                Oral-Rat LD50:4000 mg/kg Inhalation-Human TCLo: 100 ppm
______
        Section 12 -- Ecological Information
ECOLOGICAL DATA
Ingredient Name
  Diacetone Alcohol
                Food Chain Concentration Potential
                WATERFOWL TOXICITY
                                                    N/A
                BOD
               AQUATIC TOXICITY
                                                   N/A
______
        Section 13 -- DISPOSAL CONSIDERATIONS
Waste Classification: Non-regulated solid waste Disposal Method: Approved landfill
Waste from this product is not considered hazardous as defined under the
 Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in
 accordance with Federal, State, and Local regulation regarding pollution.
______
        Section 14 -- TRANSPORTATION INFORMATION
______
DOT: Non-Regulated OCEAN (IMDG): Non-Regulated AIR (IATA): Non-Regulated WHMIS (CANADA): Non-Regulated
_______
        Section 15 -- REGULATORY INFORMATION
REGULATORY DATA
Ingredient Name
 Diacetone Alcohol
                               N/A
                SARA 313
                TSCA Inventory Yes
                CERCLA RO
                               N/A
```

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

RCRA Code N/A

\_\_\_\_\_\_ Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001