

HIGH SPEED QUALITY
INNOVATION
Hygiene + Energy Efficient



We are  **WORLD DRYER**

global leading hand dryer manufacturer
creating the industry standards

* 2009 NRDC (Natural Resources Defense Council), Shoppers' guide - Shop Smart, Save Forests.
† Based on average paper towel cost of 1.52¢/sheet, and 10¢/Kw-hr on SMARTdri's medium power motor selection.



Dollar bills are not for drying hands
Hand dryers save you 99% of paper towel costs†

we = green = savings
paper = trees = money



Trees are not for drying hands
Use a roll of paper towels, kill a tree*



the
best SMARTdri™
high
speed
hand
dryer
p.4



winners

the
SLIMdri™ best
surface
mounted
ADA
hand
dryer
p.8



NEWEST
INDUSTRY STANDARD

SMARTdri™

110 - 120 V • 400 - 1200 Watts • 60 Hz • 3.3 - 10.0 Amps
 208 - 240 V • 425 - 1250 Watts • 60 Hz • 1.8 - 5.2 Amps
 220 - 240 V • 400 - 1200 Watts • 50 Hz • 1.7 - 5.0 Amps

Most Efficient, Fastest & Intelligent Hand Dryers



3-speed control

On/Off heating options



- Best of the best, 10 second dry time, 3X faster than traditional dryers
- Uses only 12% of the energy of traditional dryers; 40%-60% of competitive high speed dryers
- 99% cost savings over the cost of paper towels
- 3-speed motor control and on/off heating options
- Longest brush life - approximately 10 years at 200 uses/day
- SteriTouch® antimicrobial additive for optimum hygiene



K-974 • Automatic, Aluminum, White, Surface Mounted

K-975 • Automatic, Steel, White, Surface Mounted

K-976 • Automatic, Cast Iron, White Porcelain, Surface Mounted



K-162 • Automatic, Aluminum, Black, Surface Mounted



K-971 • Automatic, Aluminum, Brushed Chrome, Surface Mounted

K-973 • Automatic, Stainless Steel, Brushed, Surface Mounted



K-970 • Automatic, Aluminum, Polished Chrome, Surface Mounted

K-972 • Automatic, Stainless Steel, Polished, Surface Mounted



Multiple port diffuser nozzle maximizes drying effectiveness and comfort

Airforce

110 - 120 V • 1100 Watts • 60 Hz • 9.6 Amps
 208 - 240 V • 1100 Watts • 60 Hz • 4.8 Amps
 220 - 240 V • 1100 Watts • 50 Hz • 4.8 Amps

Energy Efficient, Hygienic & Fast Hand Dryers



Patented **SteriTouch®**
 Antimicrobial technology reduces the spread of harmful mold, fungi and bacteria



- High speed, 12 second dry time
- SteriTouch® antimicrobial additive for optimum hygiene
- Energy Efficient
- Modern sleek design complements any washroom décor
- Modular design for easy field service

Airforce Recess Kit

KJR-973K-1 • Optional Recess Kit, Stainless Steel, Brushed, Recess Mounted
 (Dryer sold separately)



SMARTdri Recess Kit

KKR-973 • Optional Recess Kit, Stainless Steel, Brushed, Recess Mounted
 (Dryer sold separately)



J-974 • Automatic, Aluminum, White, Surface Mounted



J-162 • Automatic, Aluminum, Black, Surface Mounted

J-975 • Automatic, Steel, White, Surface Mounted



J-971 • Automatic, Aluminum, Brushed Chrome, Surface Mounted



J-970 • Automatic, Aluminum, Polished Chrome, Surface Mounted

J-973 • Automatic, Stainless Steel, Brushed, Surface Mounted

J-972 • Automatic, Stainless Steel, Polished, Surface Mounted

110 - 120 V • 2300 Watts • 60 Hz • 20 Amps
 208 - 240 V • 2300 Watts • 60 Hz • 10 Amps
 220 - 240 V • 2300 Watts • 50 Hz • 10 Amps

AirMax™

Heavy Duty & High Speed Hand Dryers



- High speed, 15 second dry time
- Uses only 50% of the energy of standard dryers
- Durable, vandal-resistant and long-life
- Automatic or push-button operation; surface or recess mounted models
- Low sound level



DXM5-972 • Automatic, Stainless Steel, Polished, Surface Mounted

DM5-972 • Push-button, Stainless Steel, Polished, Surface Mounted



DXM5-973 • Automatic, Stainless Steel, Brushed, Surface Mounted

DM5-973 • Push-button, Stainless Steel, Brushed, Surface Mounted



DXM5-974 • Automatic, Steel, White, Surface Mounted

XM5-974 • Automatic, Cast Iron, White Porcelain, Surface Mounted



DM5-974 • Push-button, Steel, White, Surface Mounted

M5-974 • Push-button, Cast Iron, White Porcelain, Surface Mounted



XRM5-Q974 • Automatic, Cast Iron, White Porcelain, Recess Mounted,



RM5-Q974 • Push-button, Cast Iron, White Porcelain, Recess Mounted,



DXRM5-Q973 • Automatic, Stainless Steel, Brushed, Recess Mounted



Swivel Conversion Option



- Industry standard for over 50 years
- Vandal resistant and longest life
- Lowest sound level in class
- Stationary nozzle can be adjusted to swivel
- Automatic or push button operation
- Available with surface mount or recess mounted models

110 - 120 V • 2300 Watts • 60 Hz • 20 Amps
 208 - 240 V • 2300 Watts • 60 Hz • 10 Amps
 220 - 240 V • 2300 Watts • 50 Hz • 10 Amps
 277 V • 2300 Watts • 60 Hz • 8.5 Amps

Model A Series

Durable & Vandal-Resistant Hand Dryers



DXA5-972 • Automatic, Stainless Steel, Polished, Surface Mounted, Universal Nozzle

DA5-972 • Push-button, Stainless Steel, Polished, Surface Mounted, Universal Nozzle



DXA5-973 • Automatic, Stainless Steel, Brushed, Surface Mounted, Universal Nozzle

DA5-973 • Push-button, Stainless Steel, Brushed, Surface Mounted, Universal Nozzle



DXA5-974 • Automatic, Steel, White, Surface Mounted, Universal Nozzle

XA5-974 • Automatic, Cast Iron, White Porcelain, Surface Mounted, Universal Nozzle



DA5-974 • Push-button, Steel, White, Surface Mounted, Universal Nozzle

A5-974 • Push-button, Cast Iron, White Porcelain, Surface Mounted, Universal Nozzle



XRA5-Q974 • Automatic, Cast Iron, White Porcelain, Recess Mounted, Universal Nozzle



RA5-Q974 • Push-button, Cast Iron, White Porcelain, Recess Mounted, Universal Nozzle



DXRA5-Q973 • Automatic, Stainless Steel, Brushed, Recess Mounted, Universal Nozzle



NEWEST
Surface Mounted ADA

110 - 120 V / 208 V / 220 - 240 V • 1000 Watts • 60 Hz • 8.7 Amps

SLIMdri™

Fast, Surface Mounted & ADA Compliant Hand Dryers

- Fastest and most energy efficient in class
- 40%+ faster and 25%+ more energy efficient than competitive surface mounted ADA compliant hand dryers
- Universal voltage
- ON/OFF heat control
- SteriTouch® hygienic antimicrobial technology
- Ultra compact and stylish design



IP23

GreenSpec
LISTED



L-974 • Automatic, Aluminum, White, Surface Mounted



L-970 • Automatic, Aluminum, Polished Chrome, Surface Mounted



L-976 • Automatic, Cast Iron, Porcelain White Surface Mounted



L-971 • Automatic, Aluminum, Brushed Chrome Surface Mounted



- ADA compliant hand dryers
- Automatic operation
- Universal voltage
- Competitive pricing, great value

NOVA™ 1 & 2

NOVA1: 110 - 120 V • 1000 Watts • 60 Hz • 8 Amps
 NOVA1: 208 - 240 V • 1700 Watts • 60 Hz • 7 Amps
 NOVA2: 110 - 120 V • 1800 Watts • 60 Hz • 15 Amps
 NOVA2: 208 - 240 V • 2400 Watts • 60 Hz • 10 Amps

Economical & ADA Hand Dryers



NOVA 1



0830 • Automatic, Aluminum, White, Surface Mounted, Hard Wired

NOVA 2



0930 • Automatic, Steel, White, Surface Mounted

NOVA 2



093079 • Automatic, Stainless Steel, Brushed, Surface Mounted

NOVA 1 Plug-in: 110 - 120 V • 1000 Watts • 60 Hz • 8 Amps
 Electric-Aire LN: 110 - 120 V • 1000 Watts • 60 Hz • 8 Amps
 Electric-Aire LN: 208 - 240 V • 1700 Watts • 60 Hz • 7 Amps

NOVA™ 1 Plug-in & LN

Economical Hand Dryers



NOVA 1 Plug-in



0833 • Automatic, Aluminum, White, Surface Mounted, Plug-in

Electric-Aire LN



LN-974 • Automatic, Aluminum, White, Surface Mounted

- Low sound level
- LN : Multi-voltage – 110 - 240 V
NOVA1 Plug-in : 110 - 120 V
- Automatic operation
- Affordable pricing with durable Aluminum cover

110 - 120 V • 1800 Watts • 60 Hz • 15 Amps
 208 - 240 V • 1800 Watts • 60 Hz • 7.5 Amps

NOVA™ 4 & 5

Quiet Hand Dryers



NOVA 4



0412 • Automatic, Cast Iron, White Porcelain, Surface Mounted



0712 • Automatic, Cast Iron, White Porcelain, Recess Mounted



NOVA 5 Recess Kit (Dryer sold separately)
 37-058500 • Optional Recess Kit, Steel, White Frame, Recess Mounted
 37-058589 • Optional Recessed Kit, Stainless Steel Brushed Frame, Recess Mounted

NOVA 5



0212 • Automatic, Aluminum, White, Surface Mounted



0112 • Push Button, Aluminum, White, Surface Mounted



021299 • Automatic, Aluminum, Brushed Chrome, Surface Mounted



011299 • Push Button, Aluminum, Brushed Chrome, Surface Mounted

- Quiet sound level
- Brushless motor, long life
- Suitable for quiet facilities



110 - 120 V • 2000 Watts • 60 Hz • 17 Amps
 208 - 240 V • 2000 Watts • 60 Hz • 8.5 Amps
 220 - 240 V • 1800 Watts • 50 Hz • 8 Amps

No Touch & AirSpeed™

Quiet & Long Life Hand Dryers



NT126-005 • Automatic, Aluminum, White body w/ Ebony front panel, Surface Mounted



NT126-004 • Automatic, Aluminum, Chrome body w/ Ebony front panel, Surface Mounted



WA126-002 • Push-Button, White body w/ Brushed Aluminum front panel, Surface Mounted



WA126-001 • Push-Button, Chrome body w/ Brushed Aluminum front panel, Surface Mounted



No Touch Recessed Kit

KNTR-973 • Optional Recessed Kit, Stainless Steel, Brushed, Recess Mounted (Dryer sold separately)



RB-974 • Push-Button, Cast Iron, White Porcelain, Recess Mounted



B-974 • Push-Button, Cast Iron, White Porcelain, Surface Mounted

DB-974 • Push-Button, Steel, White, Surface Mounted

AirStyle Model B

- High-power 80 second drying cycle
- Low sound level and safe
- Highly resistant to vandalism
- Designed for use in health clubs, locker rooms and schools
- Swivel nozzles



DB-972 • Push-Button, Stainless Steel, Polished Surface Mounted



DB-973 • Push-Button, Stainless Steel, Brushed, Surface Mounted

WorldWind™

- Variable temperature control
- Safety timer automatically activates when hand piece is removed
- Isolates electrical components from accidental water contact
- Recommended for hotels, hospitals and nursing homes



IPX1 c UL US



IPX1



AirStyle 110 - 120 V • 2300 Watts • 60 Hz • 20 Amps
 110 - 120 V • 1725 Watts • 60 Hz • 15 Amps
 208 - 240 V • 2300 Watts • 60 Hz • 10 Amps
 277 V • 2300 Watts • 60 Hz • 8.5 Amps
 220 - 240 V • 2300 Watts • 50 Hz • 10 Amps

WorldWind - 110-120 V • 1000 Watts • 60 Hz • 9.1 Amps

Hair Dryers

Safe Commercial Hair Dryers



ABC-300H • Horizontal Style, Grey, Polyethylene, Surface Mounted



ABC-300V • Vertical Style, Grey, Polyethylene, Surface Mounted



ABC-300BQS • Wall Seat, Grey, Polyethylene, Surface Mounted



ABC-300HS • Horizontal Style, Polyethylene Body, Brushed Stainless Steel Exterior, Surface Mounted



ABC-300HSR • Horizontal Style, Polyethylene Body, Brushed Stainless Steel Exterior, Recess Mounted


DRY BABY


DryBaby™

Durable Baby Changing Stations




- Easy-to-clean polyethylene interior
- Safety belt adjustable with one hand
- No buckle to catch and break in door
- Built-in liner dispenser
- Bag hooks on both sides for added convenience







SMARTdri Hand Dryer									
110 -120 V	208 - 240 V	220 - 240 V (export)	Operation	Mounted	Cover Material, Cover Finish	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
K-974	K4-974	K48-974	Automatic	Surface	Aluminum, White	11.3 lbs 5.1 kgs	13.2 lbs 6 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-970	K4-970	K48-970	Automatic	Surface	Alum., Polished Chrome	11.3 lbs 5.1 kgs	13.2 lbs 6 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-971	K4-971	K48-971	Automatic	Surface	Alum., Brushed Chrome	11.3 lbs 5.1 kgs	13.2 lbs 6 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-162	K4-162	K48-162	Automatic	Surface	Aluminum, Black	11.3 lbs 5.1 kgs	13.2 lbs 6 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-976	K4-976	K48-976	Automatic	Surface	Cast Iron, White	23.3 lbs 10.5 kgs	25.2 lbs 11.4 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-975	K4-975	K48-975	Automatic	Surface	Steel, White	12.4 lbs 5.6 kgs	14.4 lbs 6.5 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-972	K4-972	K48-972	Automatic	Surface	Stainless Steel, Polished	12.4 lbs 5.6 kgs	14.4 lbs 6.5 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
K-973	K4-973	K48-973	Automatic	Surface	Stainless Steel, Brushed	12.4 lbs 5.6 kgs	14.4 lbs 6.5 kgs	12.5" x 9.3" x 7.6" 319 x 236 x 192	14.7" x 11.4" x 10.8" 375 x 290 x 275
KKR-973 Optional Recess Kit				Recessed 	Stainless Steel, Brushed	8.4 lbs 3.8 kgs	11.9 lbs 5.4 kgs	25.0" x 15.0" x 4.0" 635 x 381 x 102	30.0" x 15.0" x 8.0" 760 x 380 x 200




Airforce Hand Dryer									
110 -120 V	208 - 240 V	220 - 240 V (export)	Operation	Mounted	Cover Material, Cover Finish	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
J-974	J4-974	J48-974	Automatic	Surface	Aluminum, White	7.3 lbs 3.3 kgs	8.7 lbs 3.9 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
J-970	J4-970	J48-970	Automatic	Surface	Alum., Polished Chrome	7.3 lbs 3.3 kgs	8.7 lbs 3.9 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
J-971	J4-971	J48-971	Automatic	Surface	Alum., Brushed Chrome	7.3 lbs 3.3 kgs	8.7 lbs 3.9 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
J-162	J4-162	J48-162	Automatic	Surface	Aluminum, Black	7.3 lbs 3.3 kgs	8.7 lbs 3.9 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
J-975	J4-975	J48-975	Automatic	Surface	Steel, White	7.5 lbs 3.4 kgs	9 lbs 4.1 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
J-972	J4-972	J48-972	Automatic	Surface	Stainless Steel, Polished	7.5 lbs 3.4 kgs	9 lbs 4.1 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
J-973	J4-973	J48-973	Automatic	Surface	Stainless Steel, Brushed	7.5 lbs 3.4 kgs	9 lbs 4.1 kgs	10.7" x 8.9" x 6.5" 272 x 226 x 165	11.7" x 10.8" x 7.2" 297 x 274 x 76
KJR-973 Optional Recess Kit				Recessed 	Stainless Steel, Brushed	8.4 lbs 3.8 kgs	11.9 lbs 5.4 kgs	25.0" x 15.0" x 4.0" 635 x 381 x 102	30.0" x 15.0" x 8.0" 760 x 380 x 200

AirMax Hand Dryer									
110 -120 V	208 - 240 V	220 - 240 V (export)	Operation	Mounted	Cover Matl., Cover Finish	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
M5-974	M54-974	M548-974	Push-Button	Surface	Cast Iron, White	27.5 lbs 12.4 kgs	29.8 lbs 13.5	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
XM5-974	XM54-974	XM548-974	Automatic	Surface	Cast Iron, White	27.3 lbs 12.4 kgs	29.6 lbs 13.4	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
DM5-974	DM54-974	DM548-974	Push-Button	Surface	Steel, White	15.8 lbs 7.1 kgs	18 lbs 8.1 kgs	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
DXM5-974	DXM54-974	DXM548-974	Automatic	Surface	Steel, White	15.6 lbs 7 kgs	17.8 lbs 8.1 kgs	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
DM5-972	DM54-972	DM548-972	Push-Button	Surface	Stainless Steel, Polished	15.8 lbs 7.1 kgs	18 lbs 8.1 kgs	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
DXM5-972	DXM54-972	DXM548-972	Automatic	Surface	Stainless Steel, Polished	15.6 lbs 7 kgs	17.8 lbs 8.1 kgs	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
DM5-973	DM54-973	DM548-973	Push-Button	Surface	Stainless Steel, Brushed	15.8 lbs 7.1 kgs	18 lbs 8.1 kgs	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
DXM5-973	DXM54-973	DXM548-973	Automatic	Surface	Stainless Steel, Brushed	15.6 lbs 7 kgs	17.8 lbs 8.1 kgs	9.5" x 11.3" x 8.3" 241 x 287 x 211	12.5" x 14.4" x 10.1" 317 x 366 x 256
RM5-Q974	RM54-Q974	RM548-Q974	Push-Button	Recessed 	Cast Iron, White	28.8 lbs 13 kgs	32.4 lbs 14.7	13.8" x 13.1" x 4" 351 x 333 x 102	15" x 15" x 11.25" 381 x 381 x 286
XRM5-Q974	XRM54-Q974	XRM548-Q974	Automatic	Recessed 	Cast Iron, White	30.2 lbs 13.7 kgs	32.7 lbs 14.8	13.8" x 13.1" x 4" 351 x 333 x 102	15" x 15" x 11.25" 381 x 381 x 286
DXRM5-Q973	DXRM54-Q973	DXRM548-Q973	Automatic	Recessed 	Stainless Steel, Brushed	20.3 lbs 9.2 kgs	24.4 lbs 11 kgs	13.8" x 13.1" x 4" 351 x 333 x 102	15" x 15" x 11.25" 381 x 381 x 286

Model A Hand Dryer											
110 -120 V (20 A)	110 -120 V (15 A)	208 - 240 V	220 - 240 V (export)	277 V	Operation	Mounted	Cover Material, Cover Finish, Nozzle	Unit Wt.	Shipping Wt.	Unit Size	Shipping Size
A5-974	A52-974	A54-974	A548-974	A57-974	Push-Button	Surface	Cast Iron, White, Univ. Nozzle	27.3 lbs 12.4 kgs	29.6 lbs 13.4 kgs	Size 1	Size 3
XA5-974	XA52-974	XA54-974	XA548-974	XA57-974	Automatic	Surface	Cast Iron, White	27.1 lbs 12.3 kgs	29.4 lbs 13.3 kgs	Size 1	Size 3
DA5-974	DA52-974	DA54-974	DA548-974	DA57-974	Push-Button	Surface	Steel, White, Univ. Nozzle	15.6 lbs 7.1 kgs	17.8 lbs 8 kgs	Size 1	Size 3
DXA5-974	DXA52-974	DXA54-974	DXA548-974	DXA57-974	Automatic	Surface	Steel, White	15.4 lbs 7 kgs	17.5 lbs 7.9 kgs	Size 1	Size 3
DA5-972	DA52-972	DA54-972	DA548-972	DA57-972	Push-Button	Surface	Stainless Steel, Polished	15.6 lbs 7.1 kgs	17.8 lbs 8 kgs	Size 1	Size 3
DXA5-972	DXA52-972	DXA54-972	DXA548-972	DXA57-972	Automatic	Surface	Stainless Steel, Polished	15.4 lbs 7 kgs	17.5 lbs 7.9 kgs	Size 1	Size 3
DA5-973	DA52-973	DA54-973	DA548-973	DA57-973	Push-Button	Surface	Stainless Steel, Brushed	15.6 lbs 7.1 kgs	17.8 lbs 8 kgs	Size 1	Size 3
DXA5-973	DXA52-973	DXA54-973	DXA548-973	DXA57-973	Automatic	Surface	Stainless Steel, Brushed	15.4 lbs 7 kgs	17.5 lbs 7.9 kgs	Size 1	Size 3
RA5-Q974	RA52-Q974	RA54-Q974	RA548-Q974	RA57-Q974	Push-Button	Recessed 	Cast Iron, White	28.6 lbs 12.9 kgs	32.2 lbs 14.6 kgs	Size 2	Size 4
XRA5-Q974	XRA52-Q974	XRA54-Q974	XRA548-Q974	XRA57-Q974	Automatic	Recessed 	Cast Iron, White	30 lbs 13.6 kgs	32.5 lbs 14.7 kgs	Size 2	Size 4
DXRA5-Q973	DXRA52-Q973	DXRA54-Q973	DXRA548-Q973	DXRA57-Q973	Automatic	Recessed 	Stainless Steel, Brushed	20.1 lbs 9.1 kgs	24.2 lbs 11 kgs	Size 2	Size 4

(HxWxD) inch/mm - **Size 1:** 9.5" x 11.3" x 8.3" 240 x 290 x 210; **Size 2:** 13.8" x 13.1" x 4" 350 x 335 x 100; **Size 3:** 15" x 13" x 11.3" 385 x 330 x 285; **Size 4:** 15" x 14.8" x 10.8" 385 x 375 x 275

SLIMdri Hand Dryer							
110-120 V / 208/220-240 V	Operation	Mounted	Cover Material, Cover Finish, Nozzle	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
L-974	Automatic	Surface 	Aluminum, White	9.0 lbs 4.1 kgs	10.6 lbs 4.8 kgs	10.7" x 11.43" x 3.9" 271 x 290 x 100	13.8" x 13" x 6.9" 350 x 330 x 175
L-970	Automatic	Surface 	Aluminum, Polished Chrome	9.0 lbs 4.1 kgs	10.6 lbs 4.8 kgs	10.7" x 11.43" x 3.9" 271 x 290 x 100	13.8" x 13" x 6.9" 350 x 330 x 175
L-971	Automatic	Surface 	Aluminum, Brushed Chrome	9.0 lbs 4.1 kgs	10.6 lbs 4.8 kgs	10.7" x 11.43" x 3.9" 271 x 290 x 100	13.8" x 13" x 6.9" 350 x 330 x 175
L-976	Automatic	Surface 	Cast Iron, Porcelain Enamel, White	17.6 lbs 7.9 kgs	20 lbs 9 kgs	10.7" x 11.43" x 3.9" 271 x 290 x 100	13.8" x 13" x 6.9" 350 x 330 x 175

NOVA Hand Dryer									
Product Line	110- 120 V	208-240 V	Operation	Mounted	Cover Material, Cover Finish	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
NOVA 1	0830	0830	Automatic	Surface 	Aluminum, White, Univ. Voltage	6.5 lbs 2.9 kgs	7.6 lbs 3.4 kgs	9.0" x 9.7" x 4.0" 228 x 246 x 100	13" x 12" x 8" 330 x 246 x 203
NOVA 1 Plug-in	0833	-	Automatic	Surface	Aluminum, White, Plug-in	7.5 lbs 3.4 kgs	8.6 lbs 3.9 kgs	9.0" x 9.7" x 4.0" 228 x 246 x 100	13" x 12" x 8" 330 x 246 x 203
NOVA 2	0930	0930	Automatic	Surface 	Aluminum, White, Univ. Voltage	11.3 lbs 5.1 kgs	12.8 lbs 5.8 kgs	14" x 10" x 4" 356 x 254 x 100	16" x 13" x 8" 406 x 330 x 203
NOVA 2	093079	093079	Automatic	Surface 	Stainless Steel, Brushed, Univ. Volt.	10.5 lbs 4.8 kgs	11.9 lbs 5.4 kgs	14" x 10" x 4" 356 x 254 x 100	16" x 13" x 8" 406 x 330 x 203
NOVA 4	0412	0422	Automatic	Surface	Cast Iron, White	24.6 lbs 11.1 kgs	26.9 lbs 12.1 kgs	12.3" x 9.2" x 9.3" 312 x 234 x 236	14" x 11" x 13" 356 x 279 x 330
NOVA 4	0512*	-	Automatic	Surface	Cast Iron, White, Institutional	24.6 lbs 11.1 kgs	26.9 lbs 12.1 kgs	12.3" x 9.2" x 9.3" 312 x 234 x 236	14" x 11" x 13" 356 x 279 x 330
NOVA 4	0712	0722	Automatic	Recessed	Cast Iron, White	20.3 lbs 9.2 kgs	23.4 lbs 10.6 kgs	12" x 8" x 5.9" 305 x 203 x 150	14" x 11" x 13" 356 x 279 x 330
NOVA5	0112	0122	Push-Button	Surface	Aluminum, White	13.4 lbs 6.1 kgs	14.6 lbs 6.6 kgs	12" x 8.7" x 9.3" 305 x 221 x 236	14" x 11" x 13" 356 x 279 x 330
NOVA5	0212	0222	Automatic	Surface	Aluminum, White	12.9 lbs 5.8 kgs	14 lbs 6.3 kgs	12" x 8.7" x 9.3" 305 x 221 x 236	13" x 10" x 11" 330 x 254 x 279
NOVA5	011299	012299	Push-Button	Surface	Aluminum, Brushed Chrome	13.4 lbs 6.1 kgs	14.6 lbs 6.6 kgs	12" x 8.7" x 9.3" 305 x 221 x 236	13" x 10" x 11" 330 x 254 x 279
NOVA5	021299	022299	Automatic	Surface	Aluminum, Brushed Chrome	12.9 lbs 5.8 kgs	14 lbs 6.3 kgs	12" x 8.7" x 9.3" 305 x 221 x 236	13" x 10" x 11" 330 x 254 x 279
NOVA5	37-058500 Optional Recess Kit			Recessed	Steel, White Frame	6.8 lbs 3.1 kgs	8.1 lbs 3.7 kgs	15" x 13.2" x 5.9" 381 x 335 x 150	16" x 16" x 4" 406 x 406 x 100
NOVA5	37-058589 Optional Recess Kit			Recessed	Stainless Steel, Brushed Frame	6.8 lbs 3.1 kgs	8.1 lbs 3.7 kgs	15" x 13.2" x 5.9" 381 x 335 x 150	16" x 16" x 4" 406 x 406 x 100

* Institutional: includes top entry point for surface wiring installation

Electric-Aire Hand Dryer								
110-120 V	208-240 V	Operation	Mounted	Cover Material, Cover Finish, Nozzle	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
LN-974	LN-974	Automatic	Surface	Aluminum, White	7.8 lbs 3.5 kgs	10 lbs 4.5 kgs	10.7" x 11.6" x 4.9" 273 x 294 x 124	14.5" x 13.8" x 8" 370 x 350 x 205

No Touch & AirSpeed Hand Dryer									
110-120 V	208-240 V	220-240 V (export)	Operation	Mounted	Cover Material, Cover Finish	Unit Weight	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
NT126-005	NT246-005	NT235-005	Automatic	Surface	Aluminum, White body w/ Ebony front panel	14 lbs 6.4 kgs	15.7 lbs 7.1 kgs	10.9" x 11.6" x 7.5" 277 x 295 x 191	13" x 12" x 9.3" 330 x 246 x 241
NT126-004	NT246-004	NT235-004	Automatic	Surface	Aluminum, Chrome body w/ Ebony front panel	14 lbs 6.4 kgs	15.7 lbs 7.1 kgs	10.9" x 11.6" x 7.5" 277 x 295 x 191	13" x 12" x 9.5" 330 x 246 x 241
WA126-002	WA246-002	WA235-002	Push-button	Surface	Aluminum, White body w/ Brushed front panel	13.6 lbs 6.2 kgs	15.3 lbs 6.9 kgs	10.9" x 11.6" x 7.5" 277 x 295 x 191	13" x 12" x 9.5" 330 x 246 x 241
WA126-001	WA246-001	WA235-001	Push-button	Surface	Aluminum, Chrome body w/ Brushed front panel	13.6 lbs 6.2 kgs	15.3 lbs 6.9 kgs	10.9" x 11.6" x 7.5" 277 x 295 x 191	13" x 12" x 9.5" 330 x 246 x 241
Optional Recess Kit, Part # KNTR-973				Recessed	Stainless Steel, Brushed	7.6 lbs 3.4 kgs	9 lbs 4 kgs	15" x 13.2" x 5.9" 381 x 335 x 150	16" x 15" x 14" 406 x 381 x 356

Model B & World Wind Hair Dryer												
110-120 V	110-120 V (20 A)	110-120 V (15 A)	208-240 V	220-240V (export)	277 V	Operation	Mounted	Cover Material, Cover Finish	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
-	B-974	B1-974	B3-974	B38-974	B7-974	Push-button	Surface	Cast Iron, White	27.3 lbs 12.4 kgs	29.6 lbs 13.4 kgs	11.3" x 9.6" x 8.1" 287 x 244x 206	15" x 13" x 11.3" 385 x 330 x 285
-	RB-974	RB1-974	RB3-974	RB38-974	RB7-974	Push-button	Recessed	Cast Iron, White	28.6 lbs 12.9 kgs	32.2 lbs 14.6 kgs	13.2" x 13.8" x 4" 335 x 351 x 102	15" x 14.8" x 10.8" 385 x 375 x 275
-	DB-974	DB1-974	DB3-974	DB38-974	DB7-974	Push-button	Surface	Steel, White	15.6 lbs 7.1 kgs	17.8 lbs 8 kgs	11.3" x 9.6" x 8.1" 287 x 244x 206	15" x 13" x 11.3" 385 x 330 x 285
-	DB-972	DB1-972	DB3-972	DB38-972	DB7-972	Push-button	Surface	Stainless Steel, Polished	15.6 lbs 7.1 kgs	17.8 lbs 8 kgs	11.3" x 9.6" x 8.1" 287 x 244x 206	15" x 13" x 11.3" 385 x 330 x 285
-	DB-973	DB1-973	DB3-973	DB38-973	DB7-973	Push-button	Surface	Stainless Steel, Brushed	15.6 lbs 7.1 kgs	17.8 lbs 8 kgs	11.3" x 9.6" x 8.1" 287 x 244x 206	15" x 13" x 11.3" 385 x 330 x 285
HD3	-	-	-	-	-	Plug-in	Surface	ABS, White	4.7 lbs 2.1 kgs	5.5 lbs 2.5 kgs	17" x 8" x 4" 432 x 203 x 102	19" x 8.5" x 4.8" 485 x 215 x 120

Model B - 277 Volts unit available with additional fee

DryBaby Baby Changing Stations							
Model #	Type	Mounted	Material, Color, Note, ...	Unit Wt.	Shipping Wt.	Unit Size (HxWxD) inch/mm	Shipping Size (HxWxD) inch/mm
ABC-300H	Horizontal	Surface	Polyethylene	15 lbs 6.8 kgs	17 lbs 7.7 kgs	18" x 34.5" x 4" 457 x 876 x 100	35.5" x 18" x 4.3" 900 x 460 x 110
ABC-300V	Vertical	Surface	Polyethylene	17 lbs 7.7 kgs	19 lbs 8.6 kgs	34" x 19" x 5.5" 864 x 483 x 140	33" x 20" x 4.3" 840 x 510 x 110
ABC-300HS	Horizontal	Surface	Stainless Steel, Brushed	55 lbs 24.9 kgs	66 lbs 29.9 kgs	21.5" x 37.5" x 4" 546 x 953 x 100	43.3" x 27" x 5.8" 1100 x 685 x 145
ABC-300HSR	Horizontal	Recessed	Stainless Steel, Brushed	50 lbs 22.6 kgs	61 lbs 27.6 kgs	18" x 34.5" x 0.13" 457 x 876 x 3	41.3" x 24.5" x 5.8" 1045 x 625 x 145
ABC-300BQS	Wall Seat	Surface	Polyethylene	8 lbs 3.63 kgs	4.7 lbs 2.1 kgs	15.5" x 11.8" x 3.8" 394 x 300 x 97	16.25" x 12.25" x 4.25" 412 x 311 x 108
ABC-300L	Sanitary Bed Liners (500 qty)						





5700 McDermott Drive, Berkeley, IL 60163

tel (800) 323 - 0701 • (708) 449 - 6950

fax (708) 449 - 6958

www.worlddryer.com