



SPECIFICATION SHEET

STYLE: 59G



QRP® Qualatherm®

Heat & Cold Resistant Glove with Twaron® Outer Shell and Nylon Lining - 14"

- Packaged for ISO 5 (Class 100) applications
- Dry contact temperatures from -210F to 1000F (-134C to 537C) with no charring, ash or residue
- No PCB, asbestos or fiberglass
- RoHS compliant

Technical Data

Color	Yellow
Sizes Available	L-XL
Packaging	Case
Packed	1 Pair/Case
Case Dimensions (in)	16.00 x 7.00 x 4.00
Case Weight (lbs)	3.00
Country of Origin	United States
Liner Material	Nylon
Coating	Uncoated
Coating Coverage	--
Coating Color	--
Grip	--
Gauge	--
Lining	Nylon
Weight	--
Cuff	Open
Hem	Hemmed
Construction	Seamless Knit
Certifications	TAA Compliant

Performance Data

ISO Cleanroom	ISO 5 (Class 100)
Temperature Resistant	Extreme Heat
Static Control Property	--

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2022-06-29



SPECIFICATION SHEET

STYLE: 59G

SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
59GL	Yellow	L	616314278679	10616314278676	20616314278673
59GXL	Yellow	XL	616314278686	10616314278683	20616314278680

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2022-06-29