



# SPECIFICATION SHEET

STYLE: 74G



## QRP® Qualatherm®

Heat & Cold Resistant Glove with Silicon Rubber Outer Shell and Nylon Lining - 15"

- Packaged for Class 100 (ISO5/M3.5) applications
- Wet or dry contact temperatures from 78F to 450F (-61.4C to 232C)
- PolyTuff silicone elastomer is sulfur-free. Excellent resistance to chemicals, solder and fluxes
- RoHS Compliant



JKL

## Technical Data

Color	White
Sizes Available	L-XL
Packaging	Bagged Pair
Packed	1 Pair/Case
Case Dimensions (in)	22.44 x 14.96 x 9.84
Case Weight (lbs)	20.06
Country of Origin	Japan
Polymer	Silicone
Grip	Smooth
Cuff	Open
Length	15"
Powder	--
Thickness	--
Construction	Supported
Certifications	TAA Compliant

## Performance Data

ISO Cleanroom	ISO 5 (Class 100)
Temperature Resistant	Extreme Cold
Static Control Property	--

## Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobal.com](http://www.pipglobal.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2022-06-29



# SPECIFICATION SHEET

STYLE: 74G

## SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
74GL	White	L	616314280368	10616314280365	20616314280362
74GXL	White	XL	616314280375	10616314280372	20616314280379

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobal.com](http://www.pipglobal.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2022-06-29